

Fittings


from



EHRCO


FERRULES FOR STANDARD FITTINGS

**FERRULE FOR
1SN/2SN/2SC
(NO SKIVE)**
05000




Page 1

**FERRULE FOR
1SC/1SN/2SC
(NO SKIVE)**
05001




Page 1

**FERRULE FOR
1SC/R17/R7/R6
(NO SKIVE)**
05770V




Page 1

**FERRULE FOR
1ST/R2A
(SKIVE)**
05100




Page 2

**FERRULE FOR
2ST/R2A
(SKIVE)**
05200




Page 2

**FERRULE FOR
R3/R4
(NO SKIVE)**
05030




Page 3

**FERRULE FOR
4SH
(EXTERNAL SKIVE)**
05403V




Page 3

**FERRULE FOR
4SP
(SKIVE)**
05404V




Page 3

**FERRULE FOR
R7
(NO SKIVE)**
05070V




Page 4

**FERRULE FOR
PTFE**
05901




Page 4

**FERRULE FOR
COVOLUTED BPTFE**
05990



Page 4

**FERRULE FOR
SPIRAL WIRE HOSE
(NO SKIVE)**
05400V




Page 5

EHRCO

BSP - BSPT

BSPP MALE 60 DEG CONE


13000



Page 6

BSPT TAPERED MALE


13300



Page 7

BSPP FEMALE 60 DEG CONE


15010



Page 8

BSPP FEMALE (THRUST WIRE NUT) 1-1/4" - 2"


15010



Page 9

BSPP FEMALE - 60 DEG CONE - 90 DEG ELBOW


15090



Page 10

BSPP FEMALE SWIVEL 90 DEG ELBOW (THRUST WIRE NUT) 1-1/4" - 2"


15090



Page 11

BSPP FEMALE SWIVEL 45 DEG ELBOW


15040



Page 12

BSPP FEMALE SWIVEL 45 DEG ELBOW (THRUST WIRE NUT) 1-1/4" - 2"


15040



Page 13

BSPP FEMALE (FLAT SEAT)

15010F




Page 14

NPT

NPTF MALE


13200



Page 15

NPSM FEMALE

15320




Page 16

JIC 37 DEG

JIC 37 DEG MALE

13100



Page 17

JIC 37 DEG FEMALE


15110



Page 18

JIC 37 DEG FEMALE (THRUST WIRE NUT) 1-1/4" - 2"


15110



Page 19

JIC 37 DEG FEMALE SWIVEL - 90 DEG ELBOW


15190



Page 20

JIC 37 DEG FEMALE SWIVEL - 90 DEG ELBOW (THRUST WIRE NUT) 1-1/4" - 2"


15190



Page 21

JIC 37 DEG FEMALE SWIVEL - 45 DEG ELBOW


15140



Page 22

JIC 37 DEG FEMALE SWIVEL - 45 DEG ELBOW (THRUST WIRE NUT) 1-1/4" - 2"

15140




Page 23

JIS

KOMATSU STYLE FEMALE SWIVEL (60 DEG CONE)


12410



Page 23

TOYOTA STYLE FEMALE SWIVEL (60 DEG CONE)


15410



Page 24

TOYOTA STYLE FEMALE SWIVEL 90 DEG ELBOW

15490




Page 24

JIS (CONTINUED)

TOYOTA STYLE FEMALE SWIVEL 45 DEG ELBOW

15440




Page 25

METRIC / DIN

METRIC FEMALE 60 DEG CONE


12610



Page 26

METRIC FEMALE SWIVEL 90 DEG ELBOW


12690



Page 27

METRIC FEMALE SWIVEL 45 DEG ELBOW


12640



Page 28

METRIC MALE 24 DEG CONE L TYPE


11000



Page 29

METRIC FEMALE 24 DEG CONE L TYPE


12210



Page 30

METRIC FEMALE 24 DEG CONE - 90 DEG ELBOW L TYPE


12290



Page 31

METRIC FEMALE 24 DEG CONE - 45 DEG ELBOW


12240



Page 32

METRIC MALE 24 DEG CONE - S TYPE


11100



Page 33

METRIC FEMALE 24 DEG CONE - S TYPE

12310




Page 34

EHRCO

METRIC / DIN (CONTINUED)

METRIC FEMALE 24 DEG CONE - 90 DEG ELBOW - S TYPE


12390



Page 35

METRIC FEMALE 24 DEG CONE - 45 DEG ELBOW - S TYPE


12340



Page 36

STANDPIPE

10000




Page 37

BANJO

BSP BANJO


17000



Page 38

METRIC BANJO

17100




Page 39

ORFS

ORFS MALE


13500



Page 40

ORFS FEMALE


15210



Page 41

ORFS FEMALE SWIVEL 90 DEG ELBOW


15290



Page 42

ORFS FEMALE SWIVEL 45 DEG ELBOW

15240




Page 43

EHRCO

FLANGES

FLANGE CODE 61 3000 PSI


14010



Page 44

FLANGE CODE 61 90 DEG ELBOW 3000 PSI


14090



Page 45

FLANGE CODE 61 45 DEG ELBOW 3000 PSI


14040



Page 46

FLANGE CODE 62 6000 PSI


14110



Page 47

FLANGE CODE 62 90 DEG ELBOW 6000 PSI


14190



Page 48

FLANGE CODE 62 45 DEG ELBOW 6000 PSI

14140




Page 49

HIGH PRESSURE CLEANING

WATERJET CLEANER FEMALE FK TYPE

12510



Page 49

PISTOL WASH CLEANER

12500




Page 50

OTHERS

DOUBLE CONNECTOR


19999



Page 50

WHITWORTH CO2 FEMALE

CO2



Page 51

EHRCO

INTERLOCK FERRULES

**FERRULE FOR
4SH
(SKIVE)
05405V**



Page 52

**FERRULE FOR
R13/R15
(SKIVE)
05406V**




Page 52

INTERLOCK BSPP

INTERLOCK BSPP MALE


13006



Page 52

INTERLOCK BSPP FEMALE


15016



Page 53

**INTERLOCK BSPP FEMALE
90 ELBOW**

15096



Page 53

**INTERLOCK BSPP FEMALE
45 DEG ELBOW**

15046




Page 54

INTERLOCK NPT

INTERLOCK MNPTF MALE

13206




Page 54

EHRCO

INTERLOCK JIC 37DEG

INTERLOCK JIC FEMALE


15116



Page 55

INTERLOCK JIC FEMALE 90 DEG ELBOW


15196



Page 55

INTERLOCK JIC FEMALE 45 DEG ELBOW

15146




Page 56

INTERLOCK DIN

INTERLOCK METRIC MALE 24 DEG CONE S TYPE


11106



Page 56

INTERLOCK METRIC FEMALE 24 DEG CONE S TYPE


12316



Page 57

INTERLOCK METRIC FEMALE 24 DEG CONE - S TYPE - 90 DEG ELBOW


12396



Page 57

INTERLOCK METRIC FEMALE 24 DEG CONE - S TYPE - 45 DEG ELBOW

12346




Page 58

INTERLOCK ORFS

INTERLOCK ORFS FEMALE


15216



Page 58

INTERLOCK ORFS FEMALE 90 DEG ELBOW


15296



Page 59

INTERLOCK ORFS FEMALE 45 DEG ELBOW

15246




Page 59

INTERLOCK FLANGES

**INTERLOCK FLANGE CODE
61 3000 PSI**


14016



Page 60

**INTERLOCK FLANGE CODE
61 90 DEG ELBOW 3000 PSI**


14096



Page 60

**INTERLOCK FLANGE CODE
61 45 DEG ELBOW 3000 PSI**


14046



Page 61

**INTERLOCK FLANGE CODE
62 6000 PSI**


14116



Page 61


**INTERLOCK FLANGE CODE
62 90 DEG ELBOW 6000
PSI**

14196



Page 62

**INTERLOCK FLANGE CODE
62 90 DEG ELBOW 6000
PSI LONG DROP
14196E**



Page 62

**INTERLOCK FLANGE CODE
62 45 DEG ELBOW 6000
PSI**


14146



Page 63


**INTERLOCK FLANGE
SUPERCAT STYLE**

14916



Page 63


**INTERLOCK FLANGE
SUPERCAT STYLE 90 DEG
ELBOW
14996**



Page 64

**INTERLOCK FLANGE
SUPERCAT STYLE 45 DEG
ELBOW**

14946




Page 64

EHRCO


FERRULE FOR 1SN / 2SN / 2SC - 05000

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05000-03	3/16"	4.8	21	23
05000-04	1/4"	6.4	23	30
05000-05	5/16"	7.9	24	30
05000-06	3/8"	9.5	26	32
05000-08	1/2"	12.8	29	34
05000-10	5/8"	16	33	37
05000-12	3/4"	19	37	42
05000-16	1"	25.4	46	51
05000-20	1-1/4"	31.8	59	59
05000-24	1-1/2"	38.1	67	67
05000-32	2"	50.8	80	72




FERRULE FOR 1SC / 1SN / 2SC - 05001

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05001-04	1/4"	6.4	20	30
05001-05	5/16"	7.9	22	30
05001-06	3/8"	9.5	24	32
05001-08	1/2"	12.8	28	34
05001-10	5/8"	16	32	37
05001-12	3/4"	19	35	42
05001-16	1"	25.4	43	51




FERRULE FOR 1SC / SLIM / R17 / R7 / R6 1TE/2TE - 05770-**v

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05770-04V	1/4"	6.4	18	30
05770-05V	5/16"	7.9	20	30
05770-06V	3/8"	9.5	22	32
05770-08V	1/2"	12.8	26	34
05770-10V	5/8"	16	30	37
05770-12V	3/4"	19	33	42
05770-16V	1"	25.4	41	51




FERRULE FOR 1ST / R1A - 05100

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05100-03	3/16"	4.8	17	26.5
05100-04	1/4"	6.4	20	29.5
05100-05	5/16"	7.9	22	29.5
05100-06	3/8"	9.5	24	32
05100-08	1/2"	12.8	29	34
05100-10	5/8"	16	32	37
05100-12	3/4"	19	36	43
05100-16	1"	25.4	43	50
05100-20	1-1/4"	31.8	52	57
05100-24	1-1/2"	38.1	57	63
05100-32	2"	50.8	70	78




FERRULE FOR 2ST / R2A - 05200

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05200-03	3/16"	4.8	20	27
05200-04	1/4"	6.4	22	30
05200-05	5/16"	7.9	24	30
05200-06	3/8"	9.5	26	32
05200-08	1/2"	12.8	30	34
05200-10	5/8"	16	34	37
05200-12	3/4"	19	38	43
05200-16	1"	25.4	46	50
05200-20	1-1/4"	31.8	56	59
05200-24	1-1/2"	38.1	62	63
05200-32	2"	50.8	75	79



FERRULE FOR R3 / R4 - 05030


Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05030-04	1/4"	6.4	19	29
05030-05	5/16"	7.9	22	30
05030-06	3/8"	9.5	24	31
05030-08	1/2"	12.8	28.5	34
05030-10	5/8"	16	32	36
05030-12	3/4"	19	38	42
05030-16	1"	25.4	46	50
05030-20	1-1/4"	31.8	52	57



NO SKIVE

FERRULE FOR R9R-4SP - 05404-**V


Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05404-04V	1/4"	6.4	22	30
05404-06V	3/8"	9.5	26	32
05404-08V	1/2"	12.8	30	34
05404-10V	5/8"	16	34	40
05404-12V	3/4"	19	38	45.2
05404-16V	1"	25.4	46	56
05404-20V	1-1/4"	31.8	59	66
05404-24V	1-1/2"	38.1	65	76.5
05404-32V	2"	50.8	80	80



NO SKIVE

FERRULE FOR 4SH (skive) - 05403-**V


Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05403-20V	1-1/4"	31.8	52	66
05403-24V	1-1/2"	38.1	62	76.5
05403-32V	2"	50.8	75	80



EXTERNAL SKIVE


FERRULE FOR R7 / MTH 1/R6 - 05070-**V

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05070-03V	3/16"	4.8	14	30
05070-04V	1/4"	6.4	17	30
05070-05V	5/16"	7.9	19	30
05070-06V	3/8"	9.5	21	30
05070-08V	1/2"	12.8	25.5	34
05070-10V	5/8"	16	28.5	36
05070-12V	3/4"	19	32	42
05070-16V	1"	25.4	40	50




FERRULE FOR PTFE - 05901

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05901-04	1/4"	6.4	16	26.5
05901-06	3/8"	9.5	19	30
05901-08	1/2"	12.8	24	32
05901-10	5/8"	16	25.5	35
05901-12	3/4"	19	30.5	40
05901-16	1"	25.4	37	47



FERRULE FOR PTFE COVOLUTED - 05990


Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05990-04	1/4"	6.4	17.8	26.5
05990-06	3/8"	9.5	20	30.5
05990-08	1/2"	12.8	24	33
05990-10	5/8"	16	29	35
05990-12	3/4"	19	31.1	41
05990-16	1"	25.4	38	47



EHRCO

FERRULE FOR 4SP-4SH-R12-R13-R15 - 05400_**V

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05400-12V	3/4"	19	45	46.6
05400-16V	1"	25.4	54	61.2




NO SKIVE

EHRCO

BSPP MALE - 60 DEG CONE - 13000


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	A mm	Bar	psi
13000-03-02	3/16"	4.8	1/8"	28	14	20.5	350	5076
13000-03-04	3/16"	4.8	1/4"	19	19	26	415	6019
13000-04-02	1/4"	6.4	1/8"	28	14	20.5	350	5076
13000-04-04	1/4"	6.4	1/4"	19	19	27	450	6526
13000-04-06	1/4"	6.4	3/8"	19	22	29	450	6526
13000-04-08	1/4"	6.4	1/2"	14	27	32	450	6526
13000-05-04	5/16"	7.9	1/4"	19	19	27	350	5076
13000-05-06	5/16"	7.9	3/8"	19	22	29	350	5076
13000-05-08	5/16"	7.9	1/2"	14	27	32	350	5076
13000-06-04	3/8"	9.5	1/4"	19	19	27	450	6526
13000-06-06	3/8"	9.5	3/8"	19	22	29	450	6526
13000-06-08	3/8"	9.5	1/2"	14	27	32	450	6526
13000-08-06	1/2"	12.8	3/8"	19	22	29	415	6019
13000-08-08	1/2"	12.8	1/2"	14	27	33	415	6019
13000-08-10	1/2"	12.8	5/8"	14	30	34.5	415	6019
13000-08-12	1/2"	12.8	3/4"	14	32	36	415	6019
13000-10-08	5/8"	16	1/2"	14	27	33	350	5076
13000-10-10	5/8"	16	5/8"	14	30	34.5	350	5076
13000-10-12	5/8"	16	3/4"	14	32	36	350	5076
13000-10-16	5/8"	16	1"	11	38	40	350	5076
13000-12-08	3/4"	19	1/2"	14	27	34	350	5076
13000-12-10	3/4"	19	5/8"	14	30	36	350	5076
13000-12-12	3/4"	19	3/4"	14	32	37	350	5076
13000-12-16	3/4"	19	1"	11	38	40	350	5076
13000-16-12	1"	25.4	3/4"	14	32	38	280	4061
13000-16-16	1"	25.4	1"	11	38	40	280	4061
13000-16-20	1"	25.4	1-1/4"	11	50	45	280	4061
13000-20-20	1-1/4"	31.8	1-1/4"	11	50	46	210	3046
13000-20-24	1-1/4"	31.8	1-1/2"	11	55	46	210	3046
13000-24-24	1-1/2"	38.1	1-1/2"	11	55	46	185	2683
13000-24-32	1-1/2"	28.1	2"	11	70	53	185	2683
13000-32-32	2"	50.8	2"	11	70	54	165	2393

BSPT TAPERED MALE - 13300


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	A mm	Bar	psi
13300-03-02	3/16"	4.8	1/8"	28		22	350	5076
13300-03-04	3/16"	4.8	1/4"	19		22	415	6019
13300-04-02	1/4"	6.4	1/8"	28		22.5	350	5076
13300-04-04	1/4"	6.4	1/4"	19		27	450	6526
13300-04-06	1/4"	6.4	3/8"	19		28	450	6526
13300-05-04	5/16"	7.9	1/4"	19		27	350	5076
13300-05-06	5/16"	7.9	3/8"	19		28	350	5076
13300-06-04	3/8"	9.5	1/4"	19		28	450	6526
13300-06-06	3/8"	9.5	3/8"	19		28	450	6526
13300-06-08	3/8"	9.5	1/2"	14		34	415	6019
13300-08-06	1/2"	12.8	3/8"	19		28	415	6019
13300-08-08	1/2"	12.8	1/2"	14		34.5	415	6019
13300-10-08	5/8"	16	1/2"	14		34.5	350	5076
13300-10-12	5/8"	16	3/4"	14		36.5	350	5076
13300-12-12	3/4"	19	3/4"	14		37	350	5076
13300-12-16	3/4"	19	1"	11		45	280	4061
13300-16-16	1"	25.4	1"	11		46	280	4061
13300-16-20	1"	25.4	1-1/4"	11		45.5	210	3046
13300-20-20	1-1/4"	31.8	1-1/4"	11		46	210	3046
13300-20-24	1-1/4"	31.8	1-1/2"	11		47	185	2683
13300-24-24	1-1/2"	38.1	1-1/2"	11		47.3	185	2683
13300-32-32	2"	50.8	2"	11		57	165	2393

BSPP FEMALE - 60 DEG CONE - 15010


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter		T	t/1"	H	A	Bar	psi
	Inch	mm	Inch		mm	mm		
15010-03-02	3/16"	4.8	1/8"	28	15	18	350	5076
15010-03-04	3/16"	4.8	1/4"	19	19	18	415	6019
15010-04-02	1/4"	6.4	1/8"	28	15	18	350	5076
15010-04-04	1/4"	6.4	1/4"	19	19	18	450	6526
15010-04-06	1/4"	6.4	3/8"	19	22	19	450	6526
15010-04-08	1/4"	6.4	1/2"	14	27	21	450	6526
15010-05-04	5/16"	7.9	1/4"	19	19	18	350	5076
15010-05-06	5/16"	7.9	3/8"	19	22	19	350	5076
15010-05-08	5/16"	7.9	1/2"	14	27	21	350	5076
15010-06-04	3/8"	9.5	1/4"	19	19	19	450	6526
15010-06-06	3/8"	9.5	3/8"	19	22	20	450	6526
15010-06-08	3/8"	9.5	1/2"	14	27	21	450	6526
15010-08-06	1/2"	12.8	3/8"	19	19	20	415	6019
15010-08-08	1/2"	12.8	1/2"	14	27	22	415	6019
15010-08-10	1/2"	12.8	5/8"	14	28	22	415	6019
15010-08-12	1/2"	12.8	3/4"	14	32	24	415	6019
15010-10-08	5/8"	16	1/2"	14	27	22	350	5076
15010-10-10	5/8"	16	5/8"	14	28	23	350	5076
15010-10-12	5/8"	16	3/4"	14	32	24	350	5076
15010-12-08	3/4"	19	1/2"	14	27	22.5	350	5076
15010-12-10	3/4"	19	5/8"	14	28	24	350	5076
15010-12-12	3/4"	19	3/4"	14	32	25	350	5076
15010-12-16	3/4"	19	1"	11	38	26	350	5076
15010-16-12	1"	25.4	3/4"	14	32	26	280	4061
15010-16-16	1"	25.4	1"	11	38	27	280	4061

EHRCO

BSPP FEMALE - (THRUST WIRE NUT) - 15010




Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	A mm	Bar	psi
15010-16-20	1"	25.4	1-1/4"	11	50	30	280	4061
15010-20-20	1-1/4"	31.8	1-1/4"	11	50	30	210	3046
15010-20-24	1-1/4"	31.8	1-1/2"	11	55	32	210	3046
15010-24-24	1-1/2"	38.1	1-1/2"	11	55	32	185	2683
15010-24-32	1-1/2"	38.1	2"	11	70	32.5	185	2683
15010-32-32	2"	50.8	2"	11	70	33.5	165	2393

EHRCO


BSPP FEMALE – 60 DEG CONE – 90 DEG ELBOW - 15090

AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15090-03-02	3/16"	4.8	1/8"	28	15	29	23	350	5076
15090-03-04	3/16"	4.8	1/4"	19	19	29	23	415	6019
15090-04-02	1/4"	6.4	1/8"	28	15	29	23	350	5076
15090-04-04	1/4"	6.4	1/4"	19	19	29	23	450	6526
15090-04-06	1/4"	6.4	3/8"	19	22	32	23	450	6526
15090-04-08	1/4"	6.4	1/2"	14	27	30	31.5	450	6526
15090-05-04	5/16"	7.9	1/4"	19	19	33.5	31.5	350	5076
15090-05-06	5/16"	7.9	3/8"	19	22	35.5	31.5	350	5076
15090-05-08	5/16"	7.9	1/2"	14	27	39	31.5	350	5076
15090-06-04	3/8"	9.5	1/4"	19	19	37	33	450	6526
15090-06-06	3/8"	9.5	3/8"	19	22	38	33	450	6526
15090-06-08	3/8"	9.5	1/2"	14	27	42	33	450	6526
15090-08-06	1/2"	12.8	3/8"	19	22	43	39	415	6019
15090-08-08	1/2"	12.8	1/2"	14	27	45	39	415	6019
15090-08-10	1/2"	12.8	5/8"	14	28	45	39	415	6019
15090-08-12	1/2"	12.8	3/4"	14	32	51	39	415	6019
15090-10-08	5/8"	16	1/2"	14	27	54	49	350	5076
15090-10-10	5/8"	16	5/8"	14	28	54	49	350	5076
15090-10-12	5/8"	16	3/4"	14	32	56	49	350	5076
15090-12-08	3/4"	19	1/2"	14	27	56	53.5	350	5076
15090-12-10	3/4"	19	5/8"	14	28	56	53.5	350	5076
15090-12-12	3/4"	19	3/4"	14	32	59	53.5	350	5076
15090-12-16	3/4"	19	1"	11	38	65	53.5	350	5076
15090-16-12	1"	25.4	3/4"	14	32	72	68.5	280	4061
15090-16-16	1"	25.4	1"	11	38	72	73	280	4061


BSPP FEMALE 90 DEG ELBOW (THRUST WIRE NUT) - 15090



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15090-16-20	1"	25.4	1-1/4"	11	50	80	73	280	4061
15090-20-20	1-1/4"	31.8	1-1/4"	11	50	93	89	210	3046
15090-20-24	1-1/4"	31.8	1-1/2"	11	55	98.5	89	210	3046
15090-24-24	1-1/2"	38.1	1-1/2"	11	55	114	101	185	2683
15090-24-32	1-1/2"	38.1	2"	11	70	118	101	185	2683
15090-32-32	2"	50.8	2"	11	70	136	135	165	2393


BSPP FEMALE - 60 DEG CONE - 45 DEG ELBOW - 15040

AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter		T	t/1"	H	B	A	Bar	psi
	Inch	mm	Inch		mm	mm	mm		
15040-03-02	3/16"	4.8	1/8"	28	15	17	40	350	5076
15040-03-04	3/16"	4.8	1/4"	19	19	17	40	415	6019
15040-04-02	1/4"	6.4	1/8"	28	15	17	40	350	5076
15040-04-04	1/4"	6.4	1/4"	19	19	17	40	450	6526
15040-04-06	1/4"	6.4	3/8"	19	22	20	43	450	6526
15040-04-08	1/4"	6.4	1/2"	14	27	24	55	450	6526
15040-05-04	5/16"	7.9	1/4"	19	19	20	51	350	5076
15040-05-06	5/16"	7.9	3/8"	19	22	21	52	350	5076
15040-05-08	5/16"	7.9	1/2"	14	27	24	55	350	5076
15040-06-04	3/8"	9.5	1/4"	19	19	19	54	450	6526
15040-06-06	3/8"	9.5	3/8"	19	22	20	55	450	6526
15040-06-08	3/8"	9.5	1/2"	14	27	23	58	450	6526
15040-08-06	1/2"	12.8	3/8"	19	22	20	63	415	6019
15040-08-08	1/2"	12.8	1/2"	14	27	23	65	415	6019
15040-08-10	1/2"	12.8	5/8"	14	28	23	65	415	6019
15040-08-12	1/2"	12.8	3/4"	14	32	21	66	415	6019
15040-10-08	5/8"	16	1/2"	14	27	25	63	350	5076
15040-10-10	5/8"	16	5/8"	14	28	25	64	350	5076
15040-10-12	5/8"	16	3/4"	14	32	26	64	350	5076
15040-12-08	3/4"	19	1/2"	14	27	28	62	350	5076
15040-12-10	3/4"	19	5/8"	14	28	29	63	350	5076
15040-12-12	3/4"	19	3/4"	14	32	29	63	350	5076
15040-12-16	3/4"	19	1"	11	38	31	65	350	5076
15040-16-12	1"	25.4	3/4"	14	32	39	88	280	4061
15040-16-16	1"	25.4	1"	11	38	41	90	280	4061

BSPP FEMALE 45 DEG ELBOW (THRUST WIRE NUT) - 15040




Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15040-16-20	1"	25.4	1-1/4"	11	50	44	93	280	4061
15040-20-20	1-1/4"	31.8	1-1/4"	11	50	44	102	210	3046
15040-20-24	1-1/4"	31.8	1-1/2"	11	55	45	103	210	3046
15040-24-24	1-1/2"	38.1	1-1/2"	11	55	45	118	185	2683
15040-24-32	1-1/2"	38.1	2"	11	70	118	101	185	2683
15040-32-32	2"	50.8	2"	11	70	55	145	165	2393

EHRCO

BSPP FEMALE (FLAT SEAT) - 15010F

AVAILABLE TO ORDER




Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	A mm	Bar	psi
15010F-04-04	1/4"	6.4	1/4"	19	19	14	450	6526
15010F-04-06	1/4"	6.4	3/8"	19	22	15	450	6526
15010F-05-06	5/16"	7.9	3/8"	19	22	15	350	5076
15010F-06-06	3/8"	9.5	3/8"	19	22	16	450	6526
15010F-06-08	3/8"	9.5	1/2"	14	27	17	450	6526
15010F-08-08	1/2"	12.8	1/2"	14	27	17	415	6019
15010F-08-10	1/2"	12.8	5/8"	14	28	17	415	6019
15010F-08-12	1/2"	12.8	3/4"	14	32	19	415	6019
15010F-10-10	5/8"	16	5/8"	14	28	17	350	5076
15010F-10-12	5/8"	16	3/4"	14	32	20	350	5076
15010F-12-12	3/4"	19	3/4"	14	32	21	350	5076
15010F-12-16	3/4"	19	1"	11	38	22	350	5076
15010F-16-16	1"	25.4	1"	11	38	23	280	4061

EHRCO

NPTF MALE - 13200


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter		T	t/1"	H	A	Bar	psi
	Inch	mm	Inch		mm	mm		
13200-03-02	3/16"	4.8	1/8"	27	12	22	350	5076
13200-03-04	3/16"	4.8	1/4"	18	15	22	415	6019
13200-04-02	1/4"	6.4	1/8"	27	12	22.5	350	5076
13200-04-04	1/4"	6.4	1/4"	18	15	27	450	6526
13200-04-06	1/4"	6.4	3/8"	18	19	28	450	6526
13200-04-08	1/4"	6.4	1/2"	14	22	34	350	5076
13200-05-04	5/16"	7.9	1/4"	18	15	27	350	5076
13200-05-06	5/16"	7.9	3/8"	18	19	28	350	5076
13200-05-08	5/16"	7.9	1/2"	14	22	28	415	6019
13200-06-04	3/8"	9.5	1/4"	18	15	28	350	5076
13200-06-06	3/8"	9.5	3/8"	18	19	28	450	6526
13200-06-08	3/8"	9.5	1/2"	14	22	34	415	6019
13200-08-06	1/2"	12.8	3/8"	18	19	28	415	6019
13200-08-08	1/2"	12.8	1/2"	14	22	34.5	415	6019
13200-08-12	1/2"	12.8	3/4"	14	27	34.5	415	6019
13200-10-08	5/8"	16	1/2"	14	24	34.5	350	5076
13200-10-12	5/8"	16	3/4"	14	27	36.5	350	5076
13200-12-12	3/4"	19	3/4"	14	27	37	350	5076
13200-12-16	3/4"	19	1"	11.5	36	45	280	4061
13200-16-12	1"	25.4	3/4"	14	32	38	280	4061
13200-16-16	1"	25.4	1"	11.5	36	46	280	4061
13200-16-20	1"	25.4	1-1/4"	11.5	46	45.5	210	3046
13200-20-20	1-1/4"	31.8	1-1/4"	11.5	46	46	210	3046
13200-20-24	1-1/4"	31.8	1-1/2"	11.5	50	47	185	2683
13200-24-24	1-1/2"	38.1	1-1/2"	11.5	50	47.3	185	2683
13200-32-32	2"	50.8	2"	11.5	65	57	165	2393

NPSM FEMALE - 15320

AVAILABLE TO ORDER




Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	H1 mm	A mm	Bar	psi
15320-04-04	1/4"	6.4	1/4"	18	19	19	24	345	5000
15320-06-06	3/8"	9.5	3/8"	18	22	22	26.5	276	4000
15320-08-08	1/2"	12.8	1/2"	14	22	27	29	241	3500
15320-12-12	3/4"	19	3/4"	14	27	32	37	155	2250
15320-16-16	1"	25.4	1"	11.5	32	38	40.5	138	2000
15320-20-20	1-1/4"	31.8	1-1/4"	11.5	41	50	43	112	1625

EHRCO

JIC 37 DEG - 13100


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter		T	t/1"	H	A	Bar	psi
	Inch	mm	Inch		mm	mm		
13100-03-04	3/16"	4.8	7/16"	20	12	27	415	6019
13100-03-05	3/16"	4.8	1/2"	20	14	27	415	6019
13100-04-04	1/4"	6.4	7/16"	20	12	27	450	6526
13100-04-05	1/4"	6.4	1/2"	20	14	27	450	6526
13100-04-06	1/4"	6.4	9/16"	18	15	28	450	6526
13100-05-05	5/16"	7.9	1/2"	20	14	27	350	5076
13100-05-06	5/16"	7.9	9/16"	18	15	28	350	5076
13100-05-07	5/16"	7.9	5/8"	18	17	29.5	^	^
13100-05-08	5/16"	7.9	3/4"	16	19	29.5	350	5076
13100-06-06	3/8"	9.5	9/16"	18	15	28	450	6526
13100-06-07	3/8"	9.5	5/8"	18	17	29.5	^	^
13100-06-08	3/8"	9.5	3/4"	16	19	30.5	415	6019
13100-06-10	3/8"	9.5	7/8"	14	24	34.5	350	5076
13100-08-08	1/2"	12.8	3/4"	16	19	31	415	6019
13100-08-10	1/2"	12.8	7/8"	14	24	35	350	5076
13100-08-12	1/2"	12.8	1-1/16"	12	27	39.5	350	5076
13100-10-10	5/8"	16	7/8"	14	24	35	350	5076
13100-10-12	5/8"	10	1-1/16"	12	27	39.5	350	5076
13100-12-10	3/4"	12	7/8"	14	27	37	350	5076
13100-12-12	3/4"	12	1-1/16"	12	27	40.5	350	5076
13100-12-14	3/4"	12	1-3/16"	12	32	41.5	280	4061
13100-12-16	3/4"	12	1-5/16"	12	34	41.5	280	4061
13100-16-12	1"	16	1-1/16"	12	32	41.5	280	4061
13100-16-16	1"	16	1-5/16"	12	34	42.5	280	4061
13100-16-20	1"	16	1-5/8"	12	42	45	280	4061
13100-20-20	1-1/4"	20	1-5/8"	12	42	45.5	210	3046
13100-20-24	1-1/4"	20	1-7/8"	12	50	52.5	140	2030
13100-24-24	1-1/2"	24	1-7/8"	12	50	52.5	140	2030
13100-32-32	2"	32	2-1/2"	12	65	62	105	1523

JIC 37 DEG FEMALE - 15110


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	A mm	Bar	psi
15110-03-04	3/16"	4.8	7/16"	20	15	15	350	5076
15110-03-05	3/16"	4.8	1/2"	20	17	15	350	5076
15110-04-04	1/4"	6.4	7/16"	20	15	15	350	5076
15110-04-05	1/4"	6.4	1/2"	20	17	16	350	5076
15110-04-06	1/4"	6.4	9/16"	18	19	16	250	3626
15110-05-05	5/16"	7.9	1/2"	20	17	16	350	5076
15110-05-06	5/16"	7.9	9/16"	18	19	16	250	3626
15110-05-07	5/16"	7.9	5/8"	18	22	17	^	^
15110-05-08	5/16"	7.9	3/4"	16	24	17	250	3626
15110-06-06	3/8"	9.5	9/16"	18	19	16.5	250	3626
15110-06-07	3/8"	9.5	5/8"	18	22	17	^	^
15110-06-08	3/8"	9.5	3/4"	16	24	17	250	3626
15110-06-10	3/8"	9.5	7/8"	14	27	18.5	200	2901
15110-08-08	1/2"	12.8	3/4"	16	24	18	250	3626
15110-08-10	1/2"	12.8	7/8"	14	27	19	200	2901
15110-08-12	1/2"	12.8	1-1/16"	12	32	22	200	2901
15110-10-10	5/8"	16	7/8"	14	27	19.5	200	2901
15110-10-12	5/8"	16	1-1/16"	12	32	22.5	200	2901
15110-12-10	3/4"	19	7/8"	14	27	20	200	2901
15110-12-12	3/4"	19	1-1/16"	12	32	23	200	2901
15110-12-14	3/4"	19	1-3/16"	12	36	23	160	2320
15110-12-16	3/4"	19	1-5/16"	12	41	23	160	2320
15110-16-12	1"	25.4	1-1/16"	12	32	24	200	2901
15110-16-16	1"	25.4	1-5/16"	12	41	24.5	160	2320

JIC 37 DEG - (THRUST WIRE NUT) - 15110

AVAILABLE TO ORDER




Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter		T	t/1"	H	A	Bar	psi
	Inch	mm	Inch		mm	mm		
15110-16-20	1"	25.4	1-5/8"	12	50	28.5	125	1813
15110-20-20	1-1/4"	31.8	1-5/8"	12	50	29	125	1813
15110-20-24	1-1/4"	31.8	1-7/8"	12	55	31	100	1450
15110-24-24	1-1/2"	38.1	1-7/8"	12	55	31	100	1450
15110-24-32	1-1/2"	38.1	2-1/2"	12	70	31.5	80	1160
15110-32-32	2"	50.8	2-1/2"	12	70	33	80	1160

EHRCO

JIC 37 DEG FEMALE - 90 DEG ELBOW - 15190


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter		T	t/1"	H	B	A	Bar	psi
	Inch	mm	Inch		mm	mm	mm		
15190-03-04	3/16"	4.8	7/16"	20	15	26	23	350	5076
15190-03-05	3/16"	4.8	1/2"	20	17	27	23	350	5076
15190-04-04	1/4"	6.4	7/16"	20	15	26	23	350	5076
15190-04-05	1/4"	6.4	1/2"	20	17	27	23	350	5076
15190-04-06	1/4"	6.4	9/16"	18	19	27	23	250	3626
15190-05-05	5/16"	7.9	1/2"	20	17	32	31.5	350	5076
15190-05-06	5/16"	7.9	9/16"	18	19	32	31.5	250	3626
15190-05-07	5/16"	7.9	5/8"	18	22	32.5	31.5	^	^
15190-05-08	5/16"	7.9	3/4"	16	24	32.5	31.5	250	3626
15190-06-06	3/8"	9.5	9/16"	18	19	35	33	250	3626
15190-06-07	3/8"	9.5	5/8"	18	22	35.5	33	^	^
15190-06-08	3/8"	9.5	3/4"	16	24	36.5	33	250	3626
15190-06-10	3/8"	9.5	7/8"	14	27	39.5	33	200	2901
15190-08-08	1/2"	12.8	3/4"	16	24	41	39	250	3626
15190-08-10	1/2"	12.8	7/8"	14	27	42.5	39	200	2901
15190-08-12	1/2"	12.8	1-1/16"	12	32	50	39	200	2901
15190-10-10	5/8"	16	7/8"	14	27	50	49	200	2901
15190-10-12	5/8"	16	1-1/16"	12	32	55	49	200	2901
15190-12-10	3/4"	19	7/8"	14	27	58	53.5	200	2901
15190-12-12	3/4"	19	1-1/16"	12	32	58	53.5	200	2901
15190-12-14	3/4"	19	1-3/16"	12	36	61	53.5	160	2320
15190-12-16	3/4"	19	1-5/16"	12	41	62.5	53.5	160	2320
15190-16-12	1"	25.4	1-1/16"	12	32	80	69	200	2901
15190-16-16	1"	25.4	1-5/16"	12	41	69.5	73	160	2320

JIC 37 DEG FEMALE - 90 DEG ELBOW (THRUST WIRE NUT) - 15190

AVAILABLE TO ORDER




Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15190-16-20	1"	25.4	1-5/8"	12	50	78.5	73	125	1813
15190-20-20	1-1/4"	31.8	1-5/8"	12	50	91.5	89	125	1813
15190-20-24	1-1/4"	31.8	1-7/8"	12	55	99	89	100	1450
15190-24-24	1-1/2"	38.1	1-7/8"	12	55	112.5	101	100	1450
15190-24-32	1-1/2"	38.1	2-1/2"	12	70	115.5	101	80	1160
15190-32-32	2"	50.8	2-1/2"	12	70	136	135	80	1160

EHRCO

JIC 37 DEG FEMALE - 45 DEG ELBOW - 15140


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15140-03-04	3/16"	4.8	7/16"	20	15	15	38	350	5076
15140-03-05	3/16"	4.8	1/2"	20	17	17	40	350	5076
15140-04-04	1/4"	6.4	7/16"	20	15	15	38	350	5076
15140-04-05	1/4"	6.4	1/2"	20	17	17	40	350	5076
15140-04-06	1/4"	6.4	9/16"	18	19	16.5	39.5	250	3626
15140-05-05	5/16"	7.9	1/2"	20	17	17	40	350	5076
15140-05-06	5/16"	7.9	9/16"	18	19	18.5	49.5	250	3626
15140-05-07	5/16"	7.9	5/8"	18	22	19	50	^	^
15140-05-08	5/16"	7.9	3/4"	16	24	19.5	50.5	250	3626
15140-06-06	3/8"	9.5	9/16"	18	19	18	53	250	3626
15140-06-07	3/8"	9.5	5/8"	18	22	19	54	^	^
15140-06-08	3/8"	9.5	3/4"	16	24	19	54	250	3626
15140-06-10	3/8"	9.5	7/8"	14	27	21	56	200	2901
15140-08-08	1/2"	12.8	3/4"	16	24	20	62	200	2901
15140-08-10	1/2"	12.8	7/8"	14	27	21	63	200	2901
15140-08-12	1/2"	12.8	1-1/16"	12	32	22	64	200	2901
15140-10-10	5/8"	16	7/8"	14	27	22	60	200	2901
15140-10-12	5/8"	16	1-1/16"	12	32	25	63	200	2901
15140-12-10	3/4"	19	7/8"	14	27	29	62	200	2901
15140-12-12	3/4"	19	1-1/16"	12	32	29	62	200	2901
15140-12-14	3/4"	19	1-3/16"	12	36	29	63	160	2320
15140-12-16	3/4"	19	1-5/16"	12	41	29	63	160	2320
15140-16-12	1"	25.4	1-1/16"	12	32	39.5	100	200	2901
15140-16-16	1"	25.4	1-5/16"	12	41	39.5	88.5	160	2320

JIC 37 DEG FEMALE - 45 DEG ELBOW (THRUST WIRE NUT) - 15140


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15140-16-20	1"	25.4	1-5/8"	12	50	38.5	89.5	125	1813
15140-20-20	1-1/4"	31.8	1-5/8"	12	50	44	101	125	1813
15140-20-24	1-1/4"	31.8	1-7/8"	12	55	45	103	100	1450
15140-24-24	1-1/2"	38.1	1-7/8"	12	55	45	118	100	1450
15140-24-32	1-1/2"	38.1	2-1/2"	12	70	45.5	121	80	1160
15140-32-32	2"	50.8	2-1/2"	12	70	65.5	158	80	1160

KOMATSU STYLE METRIC FEMALE - 12410


AVAILABLE TO ORDER



Code	Tube		Thread T mm	Dimensions			Pressure	
	Hose Diameter Inch	mm		H mm	H1 mm	A mm	Bar	psi
12410-04-14	1/4"	6.4	M14 x 1.5	17	19	24.2	350	5076
12410-04-16	1/4"	6.4	M16 x 1.5	19	22	24.2	280	4061
12410-05-16	5/16"	7.9	M16 x 1.5	19	22	24.2	280	4061
12410-06-14	3/8"	9.5	M14 x 1.5	17	19	24.2	280	4061
12410-06-16	3/8"	9.5	M16 x 1.5	19	22	24.2	280	4061
12410-06-18	3/8"	9.5	M18 x 1.5	24	24	25.8	280	4061
12410-08-18	1/2"	12.8	M18 x 1.5	24	24	26.3	280	4061
12410-08-20	1/2"	12.8	M20 x 1.5	27	27	29	200	2901
12410-08-22	1/2"	12.8	M22 x 1.5	27	27	29	200	2901
12410-08-24	1/2"	12.8	M24 x 1.5	32	32	32	200	2901
12410-10-22	5/8"	16	M22 x 1.5	27	27	29	200	2901
12410-10-24	5/8"	16	M24 x 1.5	32	32	32.5	200	2901
12410-12-30	3/4"	19	M30 x 1.5	36	36	32.5	160	2320
12410-16-33	1"	25.4	M33 x 1.5	41	41	34.6	160	2320

TOYOTA STYLE FEMALE - 15410


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	H1 mm	A mm	Bar	psi
15410-04-04	1/4"	6.4	1/4"	19	17	19	51	250	5076
15410-06-06	3/8"	9.5	3/8"	19	19	22	54	280	4061
15410-08-08	1/2"	12.8	1/2"	14	22	27	60.5	200	2901
15410-12-12	3/4"	19	3/4"	14	27	32	70.5	200	2901
15410-16-16	1"	25.4	1"	11	32	38	88	160	2320
15410-20-20	1-1/4"	31.8	1-1/4"	11	41	50	97.5	125	1813
15410-24-24	1-1/2"	38.1	1-1/2"	11	50	55	110.5	100	1450

TOYOTA STYLE FEMALE - 90 DEG ELBOW - 15490


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15490-04-04	1/4"	6.4	1/4"	19	19	26	23	350	5076
15490-06-06	3/8"	9.5	3/8"	19	22	34.5	33	280	4061
15490-08-08	1/2"	12.8	1/2"	14	27	41	39	200	2901
15490-12-12	3/4"	19	3/4"	14	32	54.5	53.5	200	2901
15490-16-16	1"	25.4	1"	11	38	68	73	160	2320
15490-20-20	1-1/4"	31.8	1-1/4"	11	50	88.5	89	125	1813
15490-24-24	1-1/2"	38.1	1-1/2"	11	55	109.5	101	100	1450

TOYOTA STYLE FEMALE 45 DEG ELBOW - 15440

AVAILABLE TO ORDER




Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15440-04-04	1/4"	6.4	1/4"	19	19	14	40	350	5076
15440-06-06	3/8"	9.5	3/8"	19	22	16.5	55	280	4061
15440-08-08	1/2"	12.8	1/2"	14	27	19	65	200	2901
15440-12-12	3/4"	19	3/4"	14	32	24.5	63	200	2901
15440-16-16	1"	25.4	1"	11	38	37	90	160	2320
15440-20-20	1-1/4"	31.8	1-1/4"	11	50	39.5	102	125	1813
15440-24-24	1-1/2"	38.1	1-1/2"	11	55	40.5	118	100	1450

EHRCO

METRIC FEMALE - 60 DEG CONE - 12610

AVAILABLE TO ORDER




Code	Tube		Thread T mm	Dimensions		Pressure	
	Hose Diameter Inch	mm		H mm	A mm	Bar	psi
12610-03-10	3/16"	4.8	M10 x 1	15	18	350	5076
12610-03-12	3/16"	4.8	M12 x 1.5	17	18	350	5076
12610-04-10	1/4"	6.4	M10 x 1	15	18	350	5076
12610-04-12	1/4"	6.4	M12 x 1.5	17	18	350	5076
12610-04-14	1/4"	6.4	M14 x 1.5	19	18	350	5076
12610-04-16	1/4"	6.4	M16 x 1.5	22	19	350	5076
12610-04-18	1/4"	6.4	M18 x 1.5	22	19	350	5076
12610-05-14	5/16"	7.9	M14 x 1.5	19	18	350	5076
12610-05-16	5/16"	7.9	M16 x 1.5	22	19	350	5076
12610-05-18	5/16"	7.9	M18 x 1.5	22	19	350	5076
12610-06-14	3/8"	9.5	M14 x 1.5	19	19	350	5076
12610-06-16	3/8"	9.5	M16 x 1.5	22	20	350	5076
12610-06-18	3/8"	9.5	M18 x 1.5	22	20	350	5076
12610-06-20	3/8"	9.5	M20 x 1.5	27	21	315	4568
12610-06-22	3/8"	9.5	M22 x 1.5	27	21	315	4568
12610-08-18	1/2"	12.8	M18 x 1.5	24	20	315	4568
12610-08-20	1/2"	12.8	M20 x 1.5	27	22	315	4568
12610-08-22	1/2"	12.8	M22 x 1.5	27	22	315	4568
12610-08-24	1/2"	12.8	M24 x 1.5	30	23	250	3626
12610-08-26	1/2"	12.8	M26 x 1.5	32	24	250	3626
12610-10-26	5/8"	16	M26 x 1.5	32	24	250	3626
12610-10-27	5/8"	16	M27 x 1.5	32	24	250	3626
12410-12-26	3/4"	19	M26 x 1.5	32	25	315	4568
12410-12-27	3/4"	19	M27 x 1.5	32	25	250	3626
12610-12-30	3/4"	19	M30 x 1.5	36	26	200	2901
12610-16-38	1"	25.4	M38 x 1.5	46	37	125	1813
12610-24-48	1-1/4"	31.8	M45 x 1.5	50	32	125	1813

EHRCO

METRIC FEMALE - 90 DEG ELBOW - 12690


AVAILABLE TO ORDER



Code	Tube		Thread	Dimensions			Pressure	
	Hose Diameter			H	B	A	Bar	psi
	Inch	mm	T	mm	mm	mm		
12690-03-10	3/16"	4.8	M10 x 1	15	29	23	350	5076
12690-03-12	3/16"	4.8	M12 x 1.5	17	29	23	350	5076
12690-04-10	1/4"	6.4	M10 x 1	15	29	23	350	5076
12690-04-12	1/4"	6.4	M12 x 1.5	17	29	23	350	5076
12690-04-14	1/4"	6.4	M14 x 1.5	19	29	23	350	5076
12690-04-16	1/4"	6.4	M16 x 1.5	22	32	23	350	5076
12690-04-18	1/4"	6.4	M18 x 1.5	22	32	23	350	5076
12690-05-14	5/16"	7.9	M14 x 1.5	19	33.5	31.5	350	5076
12690-05-16	5/16"	7.9	M16 x 1.5	22	35.5	31.5	350	5076
12690-05-18	5/16"	7.9	M18 x 1.5	22	35.5	31.5	350	5076
12690-06-14	3/8"	9.5	M14 x 1.5	19	37	33	350	5076
12690-06-16	3/8"	9.5	M16 x 1.5	22	38	33	350	5076
12690-06-18	3/8"	9.5	M18 x 1.5	22	38	33	350	5076
12690-06-20	3/8"	9.5	M20 x 1.5	27	42	33	315	4568
12690-06-22	3/8"	9.5	M22 x 1.5	27	42	33	315	4568
12690-08-18	1/2"	12.8	M18 x 1.5	24	43	39	315	4568
12690-08-20	1/2"	12.8	M20 x 1.5	27	45	39	315	4568
12690-08-22	1/2"	12.8	M22 x 1.5	27	45	39	315	4568
12690-08-24	1/2"	12.8	M24 x 1.5	30	47	39	250	3626
12690-08-26	1/2"	12.8	M26 x 1.5	32	51	39	250	3626
12690-10-26	5/8"	16	M26 x 1.5	32	56	49	250	3626
12690-10-27	5/8"	16	M27 x 1.5	32	56	49	250	3626
12690-12-26	3/4"	19	M26 x 1.5	32	59	53.5	250	3626
12690-12-27	3/4"	19	M27 x 1.5	32	59	53.5	250	3626
12690-12-30	3/4"	19	M30 x 1.5	36	63	53.5	^	^
12690-16-38	1"	25.4	M38 x 1.5	46	72	73	^	^
12690-20-45	1-1/4"	31.8	M45 x 1.5	50	89	93	^	^
12690-24-52	1-1/2"	38.1	M52 x 1.5	55	110	99	^	^

METRIC FEMALE - 45 DEG - 12640


AVAILABLE TO ORDER



Code	Tube		Thread T mm	Dimensions			Pressure	
	Hose Diameter Inch	mm		H mm	B mm	A mm	Bar	psi
12640-03-10	3/16"	4.8	M10 x 1	15	17	40	350	5076
12640-03-12	3/16"	4.8	M12 x 1.5	17	17	40	350	5076
12640-04-10	1/4"	6.4	M10 x 1	15	17	40	350	5076
12640-04-12	1/4"	6.4	M12 x 1.5	17	17	40	350	5076
12640-04-14	1/4"	6.4	M14 x 1.5	19	17	40	350	5076
12640-04-16	1/4"	6.4	M16 x 1.5	22	20	43	350	5076
12640-04-18	1/4"	6.4	M18 x 1.5	22	20	43	350	5076
12640-05-14	5/16"	7.9	M14 x 1.5	19	17	40	350	5076
12640-05-16	5/16"	7.9	M16 x 1.5	22	20	43	350	5076
12640-05-18	5/16"	7.9	M18 x 1.5	22	20	43	350	5076
12640-06-14	3/8"	9.5	M14 x 1.5	19	20	55	350	5076
12640-06-16	3/8"	9.5	M16 x 1.5	22	20	55	350	5076
12640-06-18	3/8"	9.5	M18 x 1.5	22	20	55	350	5076
12640-06-20	3/8"	9.5	M20 x 1.5	27	23	58	315	4568
12640-06-22	3/8"	9.5	M22 x 1.5	27	23	58	315	4568
12640-08-18	1/2"	12.8	M18 x 1.5	24	23	65	315	4568
12640-08-20	1/2"	12.8	M20 x 1.5	27	23	65	315	4568
12640-08-22	1/2"	12.8	M22 x 1.5	27	23	65	315	4568
12640-08-24	1/2"	12.8	M24 x 1.5	30	21	66	250	3626
12640-08-26	1/2"	12.8	M26 x 1.5	32	21	66	250	3626
12640-10-26	5/8"	16	M26 x 1.5	32	26	64	250	3626
12640-10-27	5/8"	16	M27 x 1.5	32	26	64	250	3626
12640-12-26	3/4"	19	M26 x 1.5	32	29	63	250	3626
12640-12-27	3/4"	19	M27 x 1.5	32	29	63	250	3626
12640-12-30	3/4"	19	M30 x 1.5	36	31	65	^	^
12640-16-38	1"	25.4	M38 x 1.5	46	41	90	^	^
12640-24-45	1-1/4"	31.8	M45 x 1.5	50	45	103	^	^
12640-24-52	1-1/2"	38.1	M52 x 1.5	55	53	119	^	^

METRIC MALE 24 DEG CONE - L TYPE - 11000


AVAILABLE TO ORDER



Code	Tube		Thread T mm	Dimensions			Pressure	
	Hose Diameter Inch	mm		D mm	H mm	A mm	Bar	psi
11000-03-12	3/16"	4.8	M12 x 1.5	6	14	22.5	250	3626
11000-03-14	3/16"	4.8	M14 x 1.5	8	15	23	250	3626
11000-04-12	1/4"	6.4	M12 x 1.5	6	14	23	250	3626
11000-04-14	1/4"	6.4	M14 x 1.5	8	15	23	250	3626
11000-04-16	1/4"	6.4	M16 x 1.5	10	17	25	250	3626
11000-04-18	1/4"	6.4	M18 x 1.5	12	19	26	250	3626
11000-05-14	5/16"	7.9	M14 x 1.5	8	15	23	250	3626
11000-05-16	5/16"	7.9	M16 x 1.5	10	17	25	250	3626
11000-05-18	5/16"	7.9	M18 x 1.5	12	19	26	250	3626
11000-06-16	3/8"	9.5	M16 x 1.5	10	17	25	250	3626
11000-06-18	3/8"	9.5	M18 x 1.5	12	19	25	250	3626
11000-06-22	3/8"	9.5	M22 x 1.5	15	24	27	250	3626
11000-08-18	1/2"	12.8	M18 x 1.5	12	22	26	250	3626
11000-08-22	1/2"	12.8	M22 x 1.5	15	24	27.5	250	3626
11000-08-26	1/2"	12.8	M26 x 1.5	18	27	27.5	160	2320
11000-10-26	5/8"	16	M26 x 1.5	18	27	27.5	160	2320
11000-10-30	5/8"	16	M30 x 2	22	32	31.5	160	2320
11000-12-26	3/4"	19	M26 x 1.5	18	27	29	160	2320
11000-12-30	3/4"	19	M30 x 2	22	32	32	160	2320
11000-16-36	1"	25.4	M36 x 2	28	38	40	100	1450
11000-20-45	1-1/4"	31.8	M45 x 2	35	46	41.5	100	1450
11000-24-52	1-1/2"	38.1	M52 x 2	42	55	40	100	1450

METRIC FEMALE 24 DEG CONE - L TYPE - 12210


AVAILABLE TO ORDER



Code	Tube		Thread T mm	Dimensions			Pressure	
	Hose Diameter Inch	mm		D mm	H mm	A mm	Bar	psi
12210-03-12	3/16"	4.8	M12 x 1.5	6	14	25.5	250	3626
12210-03-14	3/16"	4.8	M14 x 1.5	8	17	25.5	250	3626
12210-04-12	1/4"	6.4	M12 x 1.5	6	17	21	250	3626
12210-04-14	1/4"	6.4	M14 x 1.5	8	17	23.5	250	3626
12210-04-16	1/4"	6.4	M16 x 1.5	10	19	26	250	3626
12210-04-18	1/4"	6.4	M18 x 1.5	12	22	26	250	3626
12210-05-14	5/16"	7.9	M14 x 1.5	8	19	21.5	250	3626
12210-05-16	5/16"	7.9	M16 x 1.5	10	19	26	250	3626
12210-05-18	5/16"	7.9	M18 x 1.5	12	22	26	250	3626
12210-06-16	3/8"	9.5	M16 x 1.5	10	19	23.5	250	3626
12210-06-18	3/8"	9.5	M18 x 1.5	12	22	26.5	250	3626
12210-06-22	3/8"	9.5	M22 x 1.5	15	27	27	250	3626
12210-08-18	1/2"	12.8	M18 x 1.5	12	22	25.5	250	3626
12210-08-22	1/2"	12.8	M22 x 1.5	15	27	27.5	250	3626
12210-08-26	1/2"	12.8	M26 x 1.5	18	32	28	160	2320
12210-10-26	5/8"	16	M26 x 1.5	18	32	30	160	2320
12210-10-26	5/8"	16	M30 x 2	22	36	31	160	2320
12210-12-26	3/4"	19	M26 x 1.5	18	32	29	160	2320
12210-12-30	3/4"	19	M30 x 2	22	36	31	160	2320
12210-16-26	1"	25.4	M36 x 2	28	41	33.5	100	1450
12210-20-45	1-1/4"	31.8	M45 x 2	35	50	38.5	100	1450
12210-24-52	1-1/2"	38.1	M52 x 2	42	60	39	100	1450

METRIC FEMALE 24 DEG CONE - 90 DEG ELBOW - L TYPE - 12290


AVAILABLE TO ORDER



Code	Tube		Thread	D	Dimensions			Pressure	
	Hose Diameter				H	B	A	Bar	psi
	Inch	mm	T	mm	mm	mm	mm		
12290-03-12	3/16"	4.8	M12 x 1.5	6	14	31.5	29.5	250	3626
12290-03-14	3/16"	4.8	M14 x 1.5	8	17	31.5	29.5	250	3626
12290-04-12	1/4"	6.4	M12 x 1.5	6	17	31.5	29.5	250	3626
12290-04-14	1/4"	6.4	M14 x 1.5	8	17	31.5	29.5	250	3626
12290-04-16	1/4"	6.4	M16 x 1.5	10	19	32.5	29	250	3626
12290-04-18	1/4"	6.4	M18 x 1.5	12	22	30.5	27	250	3626
12290-05-14	5/16"	7.9	M14 x 1.5	8	19	36.7	31.5	250	3626
12290-05-16	5/16"	7.9	M16 x 1.5	10	19	32.5	31	250	3626
12290-05-18	5/16"	7.9	M18 x 1.5	12	22	37	29	250	3626
12290-06-16	3/8"	9.5	M16 x 1.5	10	19	38	33	250	3626
12290-06-18	3/8"	9.5	M18 x 1.5	12	22	37.5	35.5	250	3626
12290-06-22	3/8"	9.5	M22 x 1.5	15	27	42	34	250	3626
12290-08-18	1/2"	12.8	M18 x 1.5	12	22	49	39	250	3626
12290-08-22	1/2"	12.8	M22 x 1.5	15	27	44	39.5	250	3626
12290-08-26	1/2"	12.8	M26 x 1.5	18	32	46.5	39.5	160	2320
12290-10-26	5/8"	16	M26 x 1.5	18	32	50.5	48.5	160	2320
12290-10-30	5/8"	16	M30 x 2	22	36	53	48.5	160	2320
12290-12-26	3/4"	19	M26 x 1.5	18	32	63.5	53.5	160	2320
12290-12-30	3/4"	19	M30 x 2	22	36	55.5	56.5	160	2320
12290-16-36	1"	25.4	M36 x 3	28	41	72.5	73	100	1450
12290-20-45	1-1/4"	31.8	M45 x 2	35	50	86.5	92	100	1450
12290-24-52	1-1/2"	38.1	M52 x 2	42	60	94	99	100	1450

METRIC FEMALE 24 DEG CONE - 45 DEG ELBOW - L TYPE - 12240

AVAILABLE TO ORDER




Code	Tube		Thread T	D	Dimensions			Pressure	
	Hose Diameter Inch	mm			H	B	A	Bar	psi
12240-03-12	3/16"	4.8	M12 x 1.5	6	14	15	37	250	3626
12240-03-14	3/16"	4.8	M14 x 1.5	8	17	15	37	250	3626
12240-04-12 *	1/4"	6.4	M12 x 1.5	6	17	17	40	250	3626
12240-04-14	1/4"	6.4	M14 x 1.5	8	17	17	50	250	3626
12240-04-16	1/4"	6.4	M16 x 1.5	10	19	17	48.5	250	3626
12240-04-18	1/4"	6.4	M18 x 1.5	12	22	17	48.5	250	3626
12240-05-14 *	5/16"	7.9	M14 x 1.5	8	19	23.2	51	250	3626
12240-05-16	5/16"	7.9	M16 x 1.5	10	19	17	52.5	250	3626
12240-05-18	5/16"	7.9	M18 x 1.5	12	22	20	50	250	3626
12240-06-16 *	3/8"	9.5	M16 x 1.5	10	19	20	55	250	3626
12240-06-18	3/8"	9.5	M18 x 1.5	12	22	17	57	250	3626
12240-06-22	3/8"	9.5	M22 x 1.5	15	27	19	59	250	3626
12240-08-18 *	1/2"	12.8	M18 x 1.5	12	22	27	65	250	3626
12240-08-22	1/2"	12.8	M22 x 1.5	15	27	22	64	250	3626
12240-08-26	1/2"	12.8	M26 x 1.5	18	32	26	65	160	2320
12240-10-26	5/8"	16	M26 x 1.5	18	32	28	61.5	160	2320
12240-10-30	5/8"	16	M30 x 2	22	36	30	63.5	160	2320
12240-12-26 *	3/4"	19	M26 x 1.5	18	32	33.5	63	160	2320
12240-12-30	3/4"	19	M30 x 2	22	36	27	63	160	2320
12240-16-36	1"	25.4	M36 x 2	28	41	38.5	85.5	100	1450
12240-20-45	1-1/4"	31.8	M45 x 2	35	50	35	104.5	100	1450
12240-24-52	1-1/2"	38.1	M52 x 2	42	60	45	119	100	1450

* Crimped Nut

METRIC MALE 24 DEG CONE - S TYPE - 11100


AVAILABLE TO ORDER



Code	Tube		Thread T mm	Dimensions			Pressure	
	Hose Diameter Inch	mm		D mm	H mm	A mm	Bar	psi
11100-03-14	3/16"	4.8	M14 x 1.5	6	15	24	420	6091
11100-03-16	3/16"	4.8	M16 x 1.5	8	17	25	420	6091
11100-04-14	1/4"	6.4	M14 x 1.5	6	15	24	450	6526
11100-04-16	1/4"	6.4	M16 x 1.5	8	17	25	450	6526
11100-04-18	1/4"	6.4	M18 x 1.5	10	19	25	450	6526
11100-04-20	1/4"	6.4	M20 x 1.5	12	22	27	450	6526
11100-05-18	5/16"	7.9	M18 x 1.5	10	19	25	350	5076
11100-05-20	5/16"	7.9	M20 x 1.5	12	22	26.5	350	5076
11100-06-18	3/8"	9.5	M18 x 1.5	10	19	26	450	6526
11100-06-20	3/8"	9.5	M20 x 1.5	12	22	27	450	6526
11100-06-22	3/8"	9.5	M22 x 1.5	14	24	29	450	6526
11100-08-22	1/2"	12.8	M22 x 1.5	14	24	30	420	6091
11100-08-24	1/2"	12.8	M24 x 1.5	16	27	31	420	6091
11100-10-30	5/8"	16	M30 x 2	20	32	33	350	5076
11100-12-30	3/4"	19	M30 x 2	20	32	34	350	5076
11100-12-36	3/4"	19	M36 x 2	25	38	36	350	5076
11100-12-42	3/4"	19	M42 x 2	30	^	^	350	5076
11100-16-36	1"	25.4	M36 x 2	25	38	38.5	280	4061
11100-16-42	1"	25.4	M42 x 2	30	46	42	280	4061
11100-20-42	1-1/4"	31.8	M42 x 2	30	46	42	210	3046
11100-20-52	1-1/4"	31.8	M52 x 2	38	55	46	210	3046
11100-24-52	1-1/2"	38.1	M52 x 2	38	55	46	185	2683

METRIC FEMALE 24 DEG CONE - S TYPE - 12310

AVAILABLE TO ORDER




Code	Tube		Thread T mm	Dimensions			Pressure	
	Hose Diameter Inch	mm		D mm	H mm	A mm	Bar	psi
12310-03-14	3/16"	4.8	M14 x 1.5	6	19	25.5	420	6091
12310-03-16	3/16"	4.8	M16 x 1.5	8	19	25.5	420	6091
12310-04-14 *	1/4"	6.4	M14 x 1.5	6	17	25.5	450	6526
12310-04-16	1/4"	6.4	M16 x 1.5	8	19	26	450	6526
12310-04-18	1/4"	6.4	M18 x 1.5	10	22	26	450	6526
12310-04-20	1/4"	6.4	M20 x 1.5	12	24	26	450	6526
12310-05-18	5/16"	7.9	M18 x 1.5	10	22	26.5	350	5076
12310-05-20	5/16"	7.9	M20 x 1.5	12	24	26	350	5076
12310-06-18 *	3/8"	9.5	M18 x 1.5	10	22	26.5	450	6526
12310-06-20	3/8"	9.5	M20 x 1.5	12	24	26.5	450	6526
12310-06-22	3/8"	9.5	M22 x 1.5	14	27	27	450	6526
12310-08-22	1/2"	12.8	M22 x 1.5	14	27	27.5	420	6091
12310-08-24	1/2"	12.8	M24 x 1.5	16	30	32	420	6091
12310-10-30	5/8"	16	M30 x 2	20	36	37	350	5076
12310-12-30	3/4"	19	M30 x 2	20	36	37.5	350	5076
12310-12-36	3/4"	19	M36 x 2	25	46	38.5	350	5076
12310-16-36	1"	25.4	M36 x 2	25	46	39.5	280	4061
12310-16-42	1"	25.4	M42 x 2	30	50	40.5	280	4061
12310-20-42	1-1/4"	31.8	M42 x 2	30	50	41.5	210	3046
12310-20-52	1-1/4"	31.8	M52 x 2	38	60	47	210	3046
12310-24-52	1-1/2"	38.1	M52 x 2	38	60	47	185	2683

* Crimped Nut

METRIC FEMALE 24 DEG CONE - 90 DEG ELBOW - S TYPE - 12390

AVAILABLE TO ORDER




Code	Tube		Thread T	D	Dimensions			Pressure	
	Hose Diameter Inch	mm			H	B	A	Bar	psi
12390-03-14	3/16"	4.8	M14 x 1.5	6	19	31.5	29.5	420	6091
12390-03-16	3/16"	4.8	M16 x 1.5	8	19	31.5	29.5	420	6091
12390-04-14 *	1/4"	6.4	M14 x 1.5	6	17	31.5	29.5	450	6526
12390-04-16	1/4"	6.4	M16 x 1.5	8	19	31.5	29.5	450	6526
12390-04-18	1/4"	6.4	M18 x 1.5	10	22	32.5	29	450	6526
12390-04-20	1/4"	6.4	M20 x 1.5	12	24	30.5	27	450	6526
12390-05-18	5/16"	7.9	M18 x 1.5	10	22	32.5	31	350	5076
12390-05-20	5/16"	7.9	M20 x 1.5	12	24	37	29	350	5076
12390-06-18 *	3/8"	9.5	M18 x 1.5	10	22	38	33	450	6526
12390-06-20	3/8"	9.5	M20 x 1.5	12	24	37.5	35.5	450	6526
12390-06-22	3/8"	9.5	M22 x 1.5	14	27	42	34	450	6526
12390-08-22	1/2"	12.8	M22 x 1.5	14	27	44	39.5	420	6091
12390-08-24	1/2"	12.8	M24 x 1.5	16	30	45	39.5	420	6091
12390-10-30	5/8"	16	M30 x 2	20	36	56	48.5	350	5076
12390-12-30	3/4"	19	M30 x 2	20	36	59	56.5	350	5076
12390-12-36	3/4"	19	M36 x 2	25	46	59	56.5	350	5076
12390-16-36	1"	25.4	M36 x 2	25	46	75	73	280	4061
12390-16-42	1"	25.4	M42 x 2	30	50	75	73	280	4061
12390-20-42	1-1/4"	31.8	M42 x 2	30	50	86	92	210	3046
12390-20-52	1-1/4"	31.8	M52 x 2	38	60	86	92	210	3046
12390-24-52	1-1/2"	38.1	M52 x 2	38	60	94	99	185	2683

* Crimped Nut

METRIC FEMALE 24 DEG CONE - 45 DEG ELBOW S TYPE - 12340

AVAILABLE TO ORDER




Code	Tube		Thread T	D	Dimensions			Pressure	
	Hose Diameter Inch	mm			H	B	A	Bar	psi
12340-03-14	3/16"	4.8	M14 x 1.5	6	19	15	37	420	6091
12340-03-16	3/16"	4.8	M16 x 1.5	8	19	15	37	420	6091
12340-04-14 *	1/4"	6.4	M14 x 1.5	6	17	17	40	450	6526
12340-04-16	1/4"	6.4	M16 x 1.5	8	19	17	50	450	6526
12340-04-18	1/4"	6.4	M18 x 1.5	10	22	17	48.5	450	6526
12340-04-20	1/4"	6.4	M20 x 1.5	12	24	17	48.5	450	6526
12340-05-18	5/16"	7.9	M18 x 1.5	10	22	17	52.5	350	5076
12340-05-20	5/16"	7.9	M20 x 1.5	12	24	20	50	350	5076
12340-06-18 *	3/8"	9.5	M18 x 1.5	10	22	20	55	450	6526
12340-06-20	3/8"	9.5	M20 x 1.5	12	24	17	57	450	6526
12340-06-22	3/8"	9.5	M22 x 1.5	14	27	19	59	450	6526
12340-08-22	1/2"	12.8	M22 x 1.5	14	27	22	65	420	6091
12340-08-24	1/2"	12.8	M24 x 1.5	16	30	22	66.5	420	6091
12340-10-30	5/8"	16	M30 x 2	20	36	26	64.5	350	5076
12340-12-30	3/4"	19	M30 x 2	20	36	27	64	350	5076
12340-12-36	1"	19	M36 x 2	25	46	28	70	350	5076
12340-16-36	1"	25.4	M36 x 2	25	46	38	88.5	280	4061
12340-16-42	1"	24.4	M42 x 2	30	50	38	89	280	4061
12340-20-42	1-1/4"	31.8	M42 x 2	30	50	35	104.5	210	3046
12340-20-52	1-1/4"	31.8	M52 x 2	38	60	35	104.5	210	3046
12340-24-52	1-1/2"	38.1	M52 x 2	38	60	45	119	185	2683

* Crimped Nut

STANDPIPE - 10000

AVAILABLE TO ORDER




Code	Tube		Dimensions			Pressure	
	Hose Diameter		D	N	A	Bar	psi
	Inch	mm					
10000-03-06	3/16"	4.8	6	24	30	415	6019
10000-03-08	3/16"	4.8	8	24	30	415	6019
10000-04-06	1/4"	6.4	6	22.5	30.5	320	4641
10000-04-08	1/4"	6.4	8	23	30.5	450	6526
10000-04-10	1/4"	6.4	10	25	32	450	6526
10000-04-12	1/4"	6.4	12	25	32	450	6526
10000-05-08	5/16"	7.9	8	23	30	^	^
10000-05-10	5/16"	7.9	10	25	32	350	5076
10000-05-12	5/16"	7.9	12	25	32	350	5076
10000-06-10	3/8"	9.5	10	25.5	33	330	4786
10000-06-12	3/8"	9.5	12	25	32.5	445	6454
10000-06-14	3/8"	9.5	14	28	35.5	445	6454
10000-06-15	3/8"	9.5	15	25.5	33	250	3626
10000-08-12	1/2"	12.8	12	25	33	^	^
10000-08-14	1/2"	12.8	14	28	36	275	3988
10000-08-15	1/2"	12.8	15	25.5	33.5	250	3626
10000-08-16	1/2"	12.8	16	31	39	415	6019
10000-08-18	1-1/4"	31.8	18	27	35.5	160	2320
10000-10-18	5/8"	16	18	28	36	160	2320
10000-10-20	5/8"	16	20	35	43.5	350	5076
10000-10-22	5/8"	16	22	29	38	160	2320
10000-12-18	3/4"	19	18	26	34.5	160	2320
10000-12-20	3/4"	19	20	35	44	215	3118
10000-12-22	3/4"	19	22	29.5	38	160	2320
10000-12-25	3/4"	19	25	41	51	350	5076
10000-16-25	1"	25.4	25	39.5	50	165	2393
10000-16-28	1"	25.4	28	30.5	41	100	1450
10000-16-30	1"	25.4	30	43.5	54	250	3626
10000-20-30	1-1/4"	31.8	30	43	54.5	210	3046
10000-20-35	1-1/4"	31.8	35	35.5	46.5	100	1450
10000-20-38	1-1/4"	31.8	38	48	60	210	3046
10000-24-38	1-1/2"	38.1	38	48	60	170	2466
10000-24-42	1-1/2"	38.1	42	36	47	100	1450

STANDPIPE

BSP BANJO - 17000

AVAILABLE TO ORDER




Code	Tube		Thread	Dimensions		
	Hose Diameter		T	D	S	A
	Inch	mm	Inch	mm	mm	mm
17000-03-02	3/16"	4.8	1/8"	10	10	19.5
17000-03-04	3/16"	4.8	1/4"	13.2	14	22.5
17000-04-02	1/4"	6.4	1/8"	10	10	24
17000-04-04	1/4"	6.4	1/4"	13.2	14	23
17000-04-06	1/4"	6.4	3/8"	16.7	17	26.6
17000-04-08	1/4"	6.4	1/2"	21	22	32.5
17000-05-04	5/16"	7.9	1/4"	13.2	14	24
17000-05-06	5/16"	7.9	3/8"	16.7	17	26.5
17000-05-08	5/16"	7.9	1/2"	21	22	27.5
17000-06-04	3/8"	9.5	1/4"	13.2	14	31.5
17000-06-06	3/8"	9.5	3/8"	16.7	17	26.5
17000-06-08	3/8"	9.5	1/2"	21	22	27.5
17000-08-06	1/2"	12.8	3/8"	16.7	17	31
17000-08-08	1/2"	12.8	1/2"	21	22	33
17000-08-10	1/2"	12.8	5/8"	23.3	25	32.5
17000-08-12	1/2"	12.8	3/4"	26.5	30	34.5
17000-10-08	5/8"	16	1/2"	21	22	31.5
17000-10-10	5/8"	16	5/8"	23.3	25	32.5
17000-10-12	5/8"	16	3/4"	26.5	30	34.5
17000-12-12	3/4"	19	3/4"	26.5	30	35
17000-12-16	3/4"	19	1"	33.4	38	48
17000-16-12	1"	25.4	3/4"	^	^	^
17000-16-16	1"	25.4	1"	33.4	38	43
17000-20-20	1-1/4"	31.8	1-1/4"	42.1	47	57.7

EHRCO

METRIC BANJO - 17100

AVAILABLE TO ORDER




Code	Tube		Thread T mm	Dimensions		
	Hose Diameter Inch	mm		D mm	S mm	A mm
17100-03-10	3/16"	4.8	M10 x 1	10.1	10	19.5
17100-03-12	3/16"	4.8	M12 x 1.5	12.1	12	21
17100-03-14	3/16"	4.8	M14 x 1.5	14.1	14	23
17100-04-10	1/4"	6.4	M10 x 1	10.1	10	24
17100-04-12	1/4"	6.4	M12 x 1.5	12.1	11	23
17100-04-14	1/4"	6.4	M14 x 1.5	14.1	14	23
17100-04-16	1/4"	6.4	M16 x 1.5	16.1	17	25
17100-04-18	1/4"	6.4	M18 x 1.5	18.1	20	29
17100-05-12	5/16"	7.9	M12 x 1.5	12.1	12	23
17100-05-14	5/16"	7.9	M14 x 1.5	14.1	14	24.5
17100-05-16	5/16"	7.9	M16 x 1.5	16.1	17	27
17100-05-18	5/16"	7.9	M18 x 1.5	18.1	20	29
17100-05-20	5/16"	7.9	M20 x 1.5	20.1	22	28
17100-05-22	5/16"	7.9	M22 x 1.5	22.1	22	28
17100-06-14	3/8"	9.5	M14 x 1.5	14.1	14	27
17100-06-16	3/8"	9.5	M16 x 1.5	16.1	17	27
17100-06-18	3/8"	9.5	M18 x 1.5	18.1	20	28
17100-06-20	3/8"	9.5	M20 x 1.5	20.1	22	28.5
17100-06-22	3/8"	9.5	M22 x 1.5	22.1	22	28.5
17100-08-18	1/2"	12.8	M18 x 1.5	18.1	20	30
17100-08-20	1/2"	12.8	M20 x 1.5	20.1	22	34
17100-08-22	1/2"	12.8	M22 x 1.5	22.1	22	34
17100-08-26	1/2"	12.8	M26 x 1.5	26.5	30	34.5
17100-10-22	5/8"	16	M22 x 1.5	22.1	22	34
17100-10-26	5/8"	16	M26 x 1.5	26.5	30	34.5
17100-12-26	3/4"	19	M26 x 1.5	26.5	30	35
17100-12-30	3/4"	19	M30 x 1.5	30.1	36	41.5
17100-16-30	1"	25.4	M30 x 1.5	30.1	36	41.5

EHRCO

ORFS MALE - 13500


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter		T	t/1"	H	A	Bar	psi
	Inch	mm	Inch		mm	mm		
13500-04-04	1/4"	6.4	9/16"	18	17	24	450	6526
13500-04-06	1/4"	6.4	11/16"	16	19	27.5	450	6526
13500-05-06	5/16"	7.9	11/16"	16	19	27.5	350	5076
13500-06-06	3/8"	9.5	11/16"	16	19	27.5	445	6454
13500-06-08	3/8"	9.5	13/16"	16	22	30.5	445	6454
13500-06-10	3/8"	9.5	1"	14	27	33.5	445	6454
13500-08-08	1/2"	12.8	13/16"	16	27	34	415	6019
13500-08-10	1/2"	12.8	1"	14	27	31.5	415	6019
13500-08-12	1/2"	12.8	1-3/16"	16	32	36	415	6019
13500-10-10	5/8"	16	1"	14	27	34	350	5076
13500-10-12	5/8"	16	1-3/16"	12	32	37	350	5076
13500-12-12	3/4"	19	1-3/16"	12	32	38	350	5076
13500-12-16	3/4"	19	1-7/16"	12	41	38.5	350	5076
13500-16-16	1"	25.4	1-7/16"	12	41	39.5	280	4061
13500-20-20	1-1/4"	31.8	1-11/16"	12	46	40	210	3046
13500-24-24	1-1/2"	38.1	2"	12	55	43	185	2683

ORFS FEMALE - 15210

AVAILABLE TO ORDER




Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	A mm	Bar	psi
15210-04-04	1/4"	6.4	9/16"	18	17	20.5	450	6526
15210-04-06	1/4"	6.4	11/16"	16	22	23	450	6526
15210-04-08	1/4"	6.4	13/16"	16	24	26	450	6526
15210-05-06	5/16"	7.9	11/16"	16	22	23	350	5076
15210-06-04 *	3/8"	9.5	9/16"	18	19	25	445	6454
15210-06-06	3/8"	9.5	11/16"	16	22	23.5	445	6454
15210-06-08	3/8"	9.5	13/16"	16	24	26	445	6454
15210-08-06	1/2"	12.8	11/16"	16	22	29	415	6019
15210-08-08	1/2"	12.8	13/16"	16	24	26.5	415	6019
15210-08-10	1/2"	12.8	1"	14	30	30	415	6019
15210-08-12	1/2"	12.8	1-3/16"	12	36	32.5	415	6019
15210-10-10	5/8"	16	1"	14	30	30	350	5076
15210-10-12	5/8"	16	1-3/16"	12	36	32	350	5076
15210-12-12	3/4"	19	1-3/16"	12	36	33	350	5076
15210-12-16	3/4"	19	1-7/16"	12	41	34	350	5076
15210-16-12 *	1"	25.4	1-3/16"	12	36	38.5	280	4061
15210-16-16	1"	25.4	1-7/16"	12	41	35	280	4061
15210-16-20	1"	25.4	1-11/16"	12	50	35	210	3046
15210-20-20	1-1/4"	31.8	1-11/16"	12	50	35.5	210	3046
15210-20-24	1-1/2"	38.1	2"	12	60	37	185	2683

* Crimped Nut

ORFS FEMALE SWIVEL 90 DEG ELBOW - 15290

AVAILABLE TO ORDER




Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter		T	t/1"	H	B	A	Bar	psi
	Inch	mm	Inch		mm	mm	mm		
15290-04-04	1/4"	6.4	9/16"	18	17	29.5	28	450	6526
15290-04-06	1/4"	6.4	11/16"	16	22	30	28	450	6526
15290-04-08	1/4"	6.4	13/16"	16	24	32	29.5	450	6526
15290-05-06	5/16"	7.9	11/16"	16	22	29	29	350	5076
15290-06-04 *	3/8"	9.5	9/16"	18	19	44	32.5	445	6454
15290-06-06	3/8"	9.5	11/16"	16	22	29	36	445	6454
15290-06-08	3/8"	9.5	13/16"	16	24	32	34	445	6454
15290-08-06	1/2"	12.8	11/16"	16	22	51	40.5	415	6019
15290-08-08	1/2"	12.8	13/16"	16	24	36	37.5	415	6019
15290-08-10	1/2"	12.8	1"	14	30	39	39	415	6019
15290-08-12	1/2"	12.8	1-3/16"	12	36	41	38	415	6019
15290-10-10	5/8"	16	1"	14	30	43.5	51.5	350	5076
15290-10-12	5/8"	16	1-3/16"	12	36	48	46.5	350	5076
15290-12-12	3/4"	19	1-3/16"	12	36	49	56	350	5076
15290-12-16	3/4"	19	1-7/16"	12	41	54	56.5	350	5076
15290-16-12 *	1"	25.4	1-3/16"	12	36	85	70	280	4061
15290-16-16	1"	25.4	1-7/16"	12	41	59.5	74	280	4061
15210-20-20	1-1/4"	31.8	1-11/16"	12	50	75.5	90	210	3046
15290-20-24	1-1/2"	38.1	2"	12	60	84	99	185	2683

* Crimped Nut

ORFS FEMALE SWIVEL - 45 DEG ELBOW - 15240

AVAILABLE TO ORDER




Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter		T	t/1"	H	B	A	Bar	psi
	Inch	mm							
15240-04-04	1/4"	6.4	9/16"	18	17	15	45	450	6526
15240-04-06	1/4"	6.4	11/16"	16	22	15.5	45.5	450	6526
15240-04-08	1/4"	6.4	13/16"	16	24	18	49	450	6526
15240-05-06	5/16"	7.9	11/16"	16	22	15.5	46	350	5076
15240-06-04 *	3/8"	9.5	9/16"	18	19	24	55	445	6454
15240-06-06	3/8"	9.5	11/16"	16	22	13	51	445	6454
15240-06-08	3/8"	9.5	13/16"	16	24	17	52	445	6454
15240-08-06 *	1/2"	12.8	11/16"	16	22	26	72	415	6019
15240-08-08	1/2"	12.8	13/16"	16	24	18	58	415	6019
15240-08-10	1/2"	12.8	1"	14	30	20	61	415	6019
15240-08-14	1/2"	12.8	1-3/16"	12	36	24	62	415	6019
15240-10-10	5/8"	16	1"	14	30	20	55	350	5076
15240-10-12	5/8"	16	1-3/16"	12	36	21	57	350	5076
15240-12-12	3/4"	19	1-3/16"	12	36	23	58	350	5076
15240-12-16	3/4"	19	1-7/16"	12	41	27	62.5	350	5076
15240-16-12 *	1"	25.4	1-3/16"	12	36	43	96.5	280	4061
15240-16-16	1"	25.4	1-7/16"	12	41	26	81	280	4061
15240-20-20	1-1/4"	31.8	1-11/16"	12	50	34	93	210	3046

* Crimped Nut

FLANGE CODE 61 - 3000 PSI - 14010

AVAILABLE TO ORDER




Code	Tube		Dimensions			Pressure	
	Hose Diameter		D	D1	A	Bar	psi
	Inch	mm	Inch	mm	mm		
14010-08-08	1/2"	12.8	1/2"	30.2	49	350	5076
14010-08-10	1/2"	12.8	5/8"	34	48	350	5076
14010-08-12	1/2"	12.8	3/4"	38.1	52	350	5076
14010-10-08	5/8"	16	1/2"	30.2	49	350	5076
14010-10-10	5/8"	16	5/8"	34	49	350	5076
14010-10-12	5/8"	16	3/4"	38.1	48	350	5076
14010-12-08	3/4"	19	1/2"	30.2	47	350	5076
14010-12-12	3/4"	19	3/4"	38.1	47	350	5076
14010-12-16	3/4"	19	1"	44.5	50	350	5076
14010-16-12	1"	25.4	3/4"	38.1	50	280	4061
14010-16-16	1"	25.4	1"	44.5	50	280	4061
14010-16-20	1"	25.4	1-1/4"	50.8	67	280	4061
14010-20-16	1-1/4"	31.8	1"	44.5	57	210	3046
14010-20-20	1-1/4"	31.8	1-1/4"	50.8	65	210	3046
14010-20-24	1-1/4"	31.8	1-1/2"	60.3	70	210	3046
14010-24-24	1-1/2"	38.1	1-1/2"	60.3	70	185	2683
14010-24-32	1-1/2"	38.1	2"	71.4	72	185	2683
14010-32-32	2"	50.8	2"	71.4	73	170	2466

EHRCO

FLANGE CODE 61 - 3000 PSI - 90 DEG ELBOW - 14090


AVAILABLE TO ORDER



Code	Tube		Dimensions				Pressure	
	Hose Diameter		D	D1	B	A	Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14090-08-08	1/2"	12.8	1/2"	30.2	43	39	350	5076
14090-08-10	1/2"	12.8	5/8"	34	47	39	350	5076
14090-08-12	1/2"	12.8	3/4"	38.1	50	39	350	5076
14090-10-08	5/8"	16	1/2"	30.2	49	49	350	5076
14090-10-10	5/8"	16	5/8"	34	52	49	350	5076
14090-10-12	5/8"	16	3/4"	38.1	55	49	350	5076
14090-12-08	3/4"	19	1/2"	30.2	52	57	350	5076
14090-12-12	3/4"	19	3/4"	38.1	58	57	350	5076
14090-12-16	3/4"	19	1"	44.5	62	57	350	5076
14090-16-12	1"	25.4	3/4"	38.1	60	77	280	4061
14090-16-16	1"	25.4	1"	44.5	64	77	280	4061
14090-16-20	1"	25.4	1-1/4"	50.8	70	77	280	4061
14090-20-16	1-1/4"	31.8	1"	44.5	82	89	210	3046
14090-20-20	1-1/4"	31.8	1-1/4"	50.8	87	89	210	3046
14090-20-24	1-1/4"	31.8	1-1/2"	60.3	88	89	210	3046
14090-24-24	1-1/2"	38.1	1-1/2"	60.3	102	101	185	2683
14090-24-32	1-1/2"	38.1	2"	71.4	118	101	185	2683
14090-32-32	2"	50.8	2"	71.4	120	144	170	2466

FLANGE CODE 61 - 3000 PSI - 45 DEG ELBOW - 14040


AVAILABLE TO ORDER



Code	Tube		Dimensions				Pressure	
	Hose Diameter	D	D1	B	A		Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14040-08-08	1/2"	12.8	1/2"	30.2	23	63	350	5076
14040-08-10	1/2"	12.8	5/8"	34	25	68	350	5076
14040-08-12	1/2"	12.8	3/4"	38.1	28	68	350	5076
14040-10-08	5/8"	16	1/2"	30.2	26	59	350	5076
14040-10-10	5/8"	16	5/8"	34	30	63	350	5076
14040-10-12	5/8"	16	3/4"	38.1	30	63	350	5076
14040-12-08	3/4"	19	1/2"	30.2	28	63	350	5076
14040-12-12	3/4"	19	3/4"	38.1	32	67	350	5076
14040-12-16	3/4"	19	1"	44.5	35	70	350	5076
14040-16-16	1"	25.4	1"	44.5	32	86	280	4061
14040-16-20	1"	25.4	1-1/4"	50.8	36	90	280	4061
14040-20-20	1-1/4"	31.8	1-1/4"	50.8	43	100	210	3046
14040-20-24	1-1/4"	31.8	1-1/2"	60.3	44	101	210	3046
14040-24-24	1-1/2"	38.1	1-1/2"	60.3	41	112	185	2683
14040-24-32	1-1/2"	38.1	2"	71.4	52	123	185	2683
14040-32-32	2"	50.8	2"	71.4	59	148	170	2466

FLANGE CODE 62 - 6000 PSI - 14110

AVAILABLE TO ORDER




Code	Tube		Dimensions			Pressure	
	Hose Diameter		D	D1	A	Bar	psi
	Inch	mm	Inch	mm	mm		
14110-08-08	1/2"	12.8	1/2"	31.7	50	415	6019
14110-08-12	1/2"	12.8	3/4"	41.3	55	415	6019
14110-10-08	5/8"	16	1/2"	31.7	50	350	5076
14110-10-12	5/8"	16	3/4"	41.3	51	350	5076
14110-12-08	3/4"	19	1/2"	31.7	53	350	5076
14110-12-12	3/4"	19	3/4"	41.3	53	350	5076
14110-12-16	3/4"	19	1"	47.6	64	350	5076
14110-16-12	1"	25.4	3/4"	41.3	64	280	4061
14110-16-16	1"	25.4	1"	47.6	66	280	4061
14110-16-20	1"	25.4	1-1/4"	54	71	280	4061
14110-20-16	1-1/4"	31.8	1"	47.6	66	210	3046
14110-20-20	1-1/4"	31.8	1-1/4"	54	67	210	3046
14110-20-24	1-1/4"	31.8	1-1/2"	63.5	78	210	3046
14110-24-24	1-1/2"	38.1	1-1/2"	63.5	78	185	2683
14110-24-32	1-1/2"	38.1	2"	79.4	73	185	2683
14110-32-32	2"	50.8	2"	79.4	73	172	2495

EHRCO

FLANGE CODE 62 - 6000 PSI - 90 DEG ELBOW - 14190


AVAILABLE TO ORDER



Code	Tube		Dimensions				Pressure	
	Hose Diameter	D	D1	B	A		Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14190-08-08	1/2"	12.8	1/2"	31.7	44	39	415	6019
14190-08-12	1/2"	12.8	3/4"	41.3	51	39	415	6019
14190-10-08	5/8"	16	1/2"	31.7	50	49	350	5076
14190-10-12	5/8"	16	3/4"	41.3	59	49	350	5076
14190-12-08	3/4"	19	1/2"	31.7	53	57	350	5076
14190-12-12	3/4"	19	3/4"	41.3	62	57	350	5076
14190-12-16	3/4"	19	1"	47.6	67	57	350	5076
14190-16-12	1"	25.4	3/4"	41.3	64	77	280	4061
14190-16-16	1"	25.4	1"	47.6	69	77	280	4061
14190-16-20	1"	25.4	1-1/4"	53	73	77	280	4061
14190-20-16	1-1/4"	31.8	1"	47.6	87	89	210	3046
14190-20-20	1-1/4"	31.8	1-1/4"	54	93	89	210	3046
14190-20-24	1-1/4"	31.8	1-1/2"	63.5	97	89	210	3046
14190-24-24	1-1/2"	38.1	1-1/2"	63.5	111	101	185	2683
14190-24-32	1-1/2"	38.1	2"	79.4	126	101	185	2683
14190-32-32	2"	50.8	2"	79.4	128	144	172	2495


FLANGE CODE 62 - 6000 PSI - 45 DEG ELBOW - 14140

AVAILABLE TO ORDER




Code	Tube		D	Dimensions			Pressure	
	Hose Diameter			D1	B	A	Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14140-08-08	1/2"	12.8	1/2"	31.7	23	64	415	6019
14140-08-12	1/2"	12.8	3/4"	41.3	28	69	415	6019
14140-10-08	5/8"	16	1/2"	31.7	26	60	350	5076
14140-10-12	5/8"	16	3/4"	41.3	30	66	350	5076
14140-12-08	3/4"	19	1/2"	31.7	28	64	350	5076
14140-12-12	3/4"	19	3/4"	41.3	32	70	350	5076
14140-12-16	3/4"	19	1"	47.6	35	74	350	5076
14140-16-12	1"	25.4	3/4"	41.3	35	86	280	4061
14140-16-16	1"	25.4	1"	47.6	32	89	280	4061
14140-16-20	1"	25.4	1-1/4"	54	36	94	280	4061
14140-20-16	1-1/4"	31.8	1"	47.6	36	100	210	3046
14140-20-20	1-1/4"	31.8	1-1/4"	54	43	104	210	3046
14140-20-24	1-1/4"	31.8	1-1/2"	63.5	44	107	210	3046
14140-24-24	1-1/2"	38.1	1-1/2"	63.5	41	118	185	2683
14140-24-32	1-1/2"	38.1	2"	79.4	52	119	185	2683
14140-32-32	2"	50.8	2"	79.4	59	153	172	2495

WATERJET CLEANER FEMALE - 12510



Code	Tube		Thread	Tube		Pressure	
	Hose Diameter			D	A	Bar	psi
	Inch	mm	mm	mm	mm		
12510-04-22	1/4"	6.4	M22 x 1.5	14	33	400	5801
12510-05-22	5/16"	7.9	M22 x 1.5	14	33	400	5801
12510-06-22	3/8"	9.5	M22 x 1.5	14	33	400	5801


PISTOL WASH CLEANER JUNCTION - 12500



Code	Tube		Dimensions	
	Hose Diameter		D	A
	Inch	mm	Inch	mm
12500-04-04	1/4"	6.4	10	33.5
12500-04-11	1/4"	6.4	11	33.5
12500-05-05	5/16"	7.9	10	33.5
12500-05-11	5/16"	7.9	11	33.5

DOUBLE CONNECTOR - 19999


AVAILABLE TO ORDER



Code	Tube		Dimension	Pressure	
	Hose Diameter		A		
	Inch	mm	mm	Bar	psi
19999-04	1/4"	6.4	14	450	6526
19999-05	5/16"	7.9	14	350	5076
19999-06	3/8"	9.5	15	445	6454
19999-08	1/2"	12.8	20	415	6019
19999-10	5/8"	16	16	350	5076
19999-12	3/4"	19	18	350	5076
19999-16	1"	25.4	20	280	4061
19999-20	1-1/4"	31.8	21	210	3046

EHRCO

WHITWORTH CO2 FEMALE - CO2




Code	Tube		Thread		Dimensions	
	Hose Diameter Inch	mm	T mm	t/1"	H mm	A mm
CO2-06	3/8"	9.5	21.7 W	14	27	16
CO2-08	1/2"	12.8	21.7 W	14	27	16.5

EHRCO


INTERLOCK FERRULE FOR 4SH - 05405V

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05405-12V	3/4"	19	38	60
05405-16V	1"	25.4	46	74.5
05405-20V	1-1/4"	31.8	56	87.8
05405-24V	1-1/2"	38.1	62	94.4
05405-32V	2"	50.8	79.5	99




INTERLOCK FERRULE FOR R13/R15 - 05406V

Code	Tube		Dimensions	
	Hose Diameter		D	L
	Inch	mm	mm	mm
05406-20V	1-1/4"	31.8	60	87.8
05406-24V	1-1/2"	38.1	67	94.4
05406-32V	2"	50.8	84.4	99



INTERLOCK BSPP MALE - 13006


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter		T	t/1"	H	A	Bar	psi
	Inch	mm	Inch		mm	mm		
13006-12-12	3/4"	19	3/4"	14	32	34.7	420	6091
13006-16-16	1"	25.4	1"	11	38	37.4	420	6091
13006-16-20	1"	25.4	1-1/4"	11	50	42.6	420	6091
13006-20-20	1-1/4"	31.8	1-1/4"	11	50	44.2	420	6091
13006-24-24	1-1/2"	38.1	1-1/2"	11	55	44.5	345	5004
13006-32-32	2"	50.8	2"	11	70	54	345	5004

INTERLOCK BSPP FEMALE (O RING) - THRUST WIRE NUT - 15016


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter		T	t/1"	H	A	Bar	psi
	Inch	mm	Inch		mm	mm		
15016-12-12	3/4"	19	3/4"	14	32	22.7	420	6091
15016-16-16	1"	25.4	1"	11	38	24.7	420	6091
15016-16-20	1"	25.4	1-1/4"	11	50	27.5	414	6004
15016-20-20	1-1/4"	31.8	1-1/4"	11	50	28.2	345	5004
15016-24-24	1-1/2"	38.1	1-1/2"	11	55	30.5	345	5004
15016-32-32	2"	50.8	2"	11	70	34	345	5004

INTERLOCK BSPP FEMALE 90 DEG (O RING) - THRUST WIRE NUT - 15096


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter		T	t/1"	H	B	A	Bar	psi
	Inch	mm	Inch		mm	mm	mm		
15096-12-12	3/4"	19	3/4"	14	32	59	54	420	6091
15096-16-16	1"	25.4	1"	11	38	72	70.5	420	6091
15096-16-20	1"	25.4	1-1/4"	11	50	80	70.5	420	6091
15096-20-20	1-1/4"	31.8	1-1/4"	11	50	93	87.7	420	6091
15096-24-24	1-1/2"	38.1	1-1/2"	11	55	114	99.5	345	5004
15096-32-32	2"	50.8	2"	11	70	136	135	345	5004

INTERLOCK BSPP FEMALE 45 DEG (O RING) - THRUST WIRE NUT - 15046


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15046-12-12	3/4"	19	3/4"	14	32	29	60.7	420	6091
15046-16-16	1"	25.4	1"	11	38	41	87.5	420	6091
15046-16-20	1"	25.4	1-1/4"	11	50	44	90.5	420	6091
15046-20-20	1-1/4"	31.8	1-1/4"	11	50	44	100.5	420	6091
15046-24-24	1-1/2"	38.1	1-1/2"	11	55	45	116.5	345	5004
15046-32-32	2"	50.8	2"	11	70	68	156	345	5004


INTERLOCK NPTF MALE - 13206

AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
13206-12-12	3/4"	19	3/4"	14	27	34.5	96.5	420	6091
13206-12-16	3/4"	19	1"	11.5	36	42.5	104.5	420	6091
13206-16-16	1"	25.4	1"	11.5	36	43	115	420	6091
13206-16-20	1"	25.4	1-1/4"	11.5	46	43	115	420	6091
13206-20-20	1-1/4"	31.8	1-1/4"	11.5	46	44	137.5	420	6091
13206-20-24	1-1/4"	31.8	1-1/2"	11.5	50	44	137.5	420	6091
13206-24-24	1-1/2"	38.1	1-1/2"	11.5	50	45.4	139	345	5004
13206-32-32	2"	50.8	2"	11.5	65	57	155	345	5004


INTERLOCK JIC 37 DEG FEMALE - 15116



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	A mm	Bar	psi
15116-12-12	3/4"	19	1-1/16"	12	32	20.5	420	6091
15116-12-14	3/4"	19	1-3/16"	12	36	20.5	420	6091
15116-12-16	3/4"	19	1-5/16"	12	41	20.5	420	6091
15116-16-16	1"	25.4	1-5/16"	12	41	22	414	6004
15116-16-20	1"	25.4	1-5/8"	12	50	26	414	6004
15116-20-20	1-1/4"	31.8	1-5/8"	12	50	27.5	414	6004
15116-20-24	1-1/4"	31.8	1-7/8"	12	55	29.5	414	6004
15116-24-24	1-1/2"	38.1	1-7/8"	12	55	29.5	345	5004
15116-32-32	2"	50.8	2-1/2"	12	70	33	345	5004

INTERLOCK JIC 37 DEG FEMALE 90 DEG - 15196


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15196-12-12	3/4"	19	1-1/16"	12	32	58	51	420	6091
15196-12-14	3/4"	19	1-3/16"	12	36	61	51	420	6091
15196-12-16	3/4"	19	1-5/16"	12	41	62.5	51	420	6091
15196-16-16	1"	25.4	1-5/16"	12	41	69.5	70.5	414	6004
15196-16-20	1"	25.4	1-5/8"	12	50	78.5	70.5	414	6004
15196-20-20	1-1/4"	31.8	1-5/8"	12	50	91.5	87.5	414	6004
15196-20-24	1-1/4"	31.8	1-7/8"	12	55	99	87.5	414	6004
15196-24-24	1-1/2"	38.1	1-7/8"	12	55	112.5	99.5	345	5004
15196-32-32	2"	50.8	2-1/2"	12	70	101	110	345	5004

INTERLOCK JIC 37 DEG FEMALE 45 DEG ELBOW - 15146


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter		T	t/1"	H	B	A	Bar	psi
	Inch	mm	Inch		mm	mm	mm		
15146-12-12	3/4"	19	1-1/16"	12	32	29	59.5	420	6091
15146-12-14	3/4"	19	1-3/16"	12	36	29	60.5	420	6091
15146-12-16	3/4"	19	1-5/16"	12	41	29	60.5	420	6091
15146-16-16	1"	25.4	1-5/16"	12	41	39.5	86	414	6004
15146-16-20	1"	25.4	1-5/8"	12	50	38.5	87	414	6004
15146-20-20	1-1/4"	31.8	1-5/8"	12	50	44	99.5	414	6004
15146-20-24	1-1/4"	31.8	1-7/8"	12	55	45	101.5	414	6004
15146-24-24	1-1/2"	38.1	1-7/8"	12	55	45	116.5	345	5004
15146-32-32	2"	50.8	2-1/2"	12	70	65.8	156	345	5004


INTERLOCK METRIC MALE 24 DEG CONE - S TYPE - 11106

AVAILABLE TO ORDER




Code	Tube		Thread	Dimensions			Pressure	
	Hose Diameter			D	H	A	Bar	psi
	Inch	mm	mm	mm	mm	mm		
11106-12-30	3/4"	19	M30 x 2	20	32	31.5	420	6091
11106-12-36	3/4"	19	M36 x 2	25	38	33.5	420	6091
11106-16-36	1"	25.4	M36 x 2	25	38	36	414	6004
11106-16-42	1"	25.4	M42 x 2	30	46	39.5	280	4061
11106-20-42	1-1/4"	31.8	M42 x 2	30	46	40.5	250	3626
11106-20-52	1-1/4"	31.8	M52 x 2	38	55	44.5	250	3626
11106-24-52	1-1/2"	28.1	M52 x 2	38	55	44.5	250	3626

INTERLOCK METRIC FEMALE 24 DEG CONE – S TYPE – 12316



Code	Tube		Thread T	Dimensions			Pressure	
	Hose Diameter Inch	mm		D mm	H mm	A mm	Bar	psi
12396-10-30	5/8"	16	M30 x 2	20	^	^	420	6091
12316-12-30	3/4"	19	M30 x 2	20	36	35	420	6091
12316-12-36	3/4"	19	M36 x 2	25	46	36	420	6091
12316-16-36	1"	25.4	M36 x 2	25	46	37	414	6004
12316-16-42	1"	25.4	M42 x 2	30	50	38	280	4061
12316-16-36	1-1/4"	31.8	M42 x 2	30	50	40	250	3626
12316-20-52	1-1/4"	31.8	M52 x 2	38	60	45.5	250	3626
12316-24-52	1-1/2"	38.1	M52 x 2	38	60	45.5	250	3626


INTERLOCK METRIC FEMALE 24 DEG CONE – 90 DEG – S TYPE – 12396



Code	Tube		Thread T	Dimensions			Pressure	
	Hose Diameter Inch	mm		D mm	H mm	B mm	A mm	Bar psi
12396-10-30	5/8"	16	M30 x 2	20	^	^	^	420 6091
12396-12-30	3/4"	19	M30 x 2	20	36	59	54	420 6091
12396-12-36	3/4"	19	M36 x 2	25	46	59	54	420 6091
12396-16-36	1"	25.4	M36 x 2	25	48	75	70.5	414 6004
12396-16-42	1"	25.4	M42 x 2	30	50	75	70.5	280 4061
12396-20-42	1-1/4"	31.8	M42 x 2	30	50	86	90.5	250 3626
12396-20-52	1-1/4"	31.8	M52 x 2	38	60	86	90.5	250 3626
12396-24-52	1-1/2"	38.1	M52 x 2	38	60	94	97.5	250 3626

INTERLOCK METRIC FEMALE 24 DEG CONE 45 DEG - S TYPE - 12346


AVAILABLE TO ORDER



Code	Tube		Thread	D	Dimensions			Pressure	
	Hose Diameter				H	B	A	Bar	psi
	Inch	mm	T	mm	mm	mm	mm		
12346-10-30	5/8"	16	M30 x 2	20	^	^	^	420	6091
12346-12-30	3/4"	19	M30 x 2	20	36	27	61.5	420	6091
12346-12-36	3/4"	19	M36 x 2	25	46	28	67.5	420	6091
12346-16-36	1"	25.4	M36 x 2	25	46	38	86	414	6004
12346-16-42	1"	25.4	M42 x 2	30	50	38	86.5	280	4061
12346-20-42	1-1/4"	31.8	M42 x 2	30	50	35	103	250	3626
12346-20-52	1-1/4"	31.8	M52 x 2	38	60	35	103	250	3626
12346-24-52	1-1/2"	38.1	M52 x 2	38	60	45	117.5	250	3626

INTERLOCK ORFS FEMALE - 15216


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions		Pressure	
	Hose Diameter		T	t/1"	H	A	Bar	psi
	Inch	mm	Inch		mm	mm		
15216-10-12	5/8"	16	1-3/16"	12	^	^	420	6091
15216-12-12	3/4"	19	1-3/16"	12	36	30.5	420	6091
15216-12-16	3/4"	19	1-7/16"	12	41	31.5	414	6004
15216-16-16	1"	25.4	1-7/16"	12	41	32.5	414	6004
15216-16-20	1"	25.4	1-11/16"	12	^	^	^	^
15216-20-20	1-1/4"	31.8	1-11/16"	12	50	34	250	3626

INTERLOCK ORFS FEMALE 90 DEG ELBOW - 15296


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15296-10-12	5/8"	16	1-3/16"	12	^	^	^	^	^
15296-12-12	3/4"	19	1-3/16"	12	36	49	53.5	420	6091
15296-12-16	3/4"	19	1-7/16"	12	41	54	54	410	5946
15296-16-16	1"	25.4	1-7/16"	12	41	59.5	71.5	410	5946
15296-16-20	1"	25.4	1-11/16"	12	^	^	^	^	^
15296-20-20	1-1/4"	31.8	1-11/16"	12	50	75.5	88.5	250	3626

INTERLOCK ORFS FEMALE 45 DEG ELBOW - 15246


AVAILABLE TO ORDER



Code	Tube		Thread		Dimensions			Pressure	
	Hose Diameter Inch	mm	T Inch	t/1"	H mm	B mm	A mm	Bar	psi
15246-10-12	5/8"	16	1-3/16"	12	^	^	^	^	^
15246-12-12	3/4"	19	1-3/16"	12	36	23	55.5	420	6091
15246-12-16	3/4"	19	1-7/16"	12	41	27	60	410	5946
15246-16-16	1"	25.4	1-7/16"	12	41	26	78.5	410	5946
15246-16-20	1"	25.4	1-11/16"	12	^	^	^	^	^
15246-20-20	1-1/4"	31.8	1-11/16"	12	50	34	91.5	250	3626


INTERLOCK FLANGE CODE 61 - 3000 PSI - 14016

AVAILABLE TO ORDER



Code	Tube		Dimensions			Pressure	
	Hose Diameter		D	D1	A	Bar	psi
	Inch	mm	Inch	mm	mm		
14016-12-12	3/4"	19	3/4"	38.1	56.7	420	6091
14016-12-16	3/4"	19	1"	44.5	48.7	420	6091
14016-16-12	1"	25.4	3/4"	38.1	47.6	415	6019
14016-16-16	1"	25.4	1"	44.5	47.6	415	6019
14016-16-20	1"	25.4	1-1/4"	50.8	64.6	415	6019
14016-20-20	1-1/4"	31.8	1-1/4"	50.8	68.7	250	3626
14016-20-24	1-1/4"	31.8	1-1/2"	60.3	78.7	250	3626
14016-24-24	1-1/2"	38.1	1-1/2"	60.3	68.5	200	2901
14016-24-32	1-1/2"	38.1	2"	71.4	70.5	200	2901
14016-32-32	2"	50.8	2"	71.4	70.5	200	2901


INTERLOCK FLANGE CODE 61 - 3000 PSI - 90 DEG ELBOW - 14096



Code	Tube		Dimensions			Pressure	
	Hose Diameter		D	D1	B	A	
	Inch	mm	Inch	mm	mm	mm	Bar psi
14096-12-12	3/4"	19	3/4"	38.1	58	54.7	420 6091
14096-12-16	3/4"	19	1"	44.5	62	54.7	420 6091
14096-16-12	1"	25.4	3/4"	38.1	60	74.6	415 6019
14096-16-16	1"	25.4	1"	44.5	68	70.6	415 6019
14096-16-20	1"	25.4	1-1/4"	50.8	70	74.6	415 6019
14096-20-20	1-1/4"	31.8	1-1/4"	50.8	87	87.7	250 3626
14096-20-24	1-1/4"	31.8	1-1/2"	60.3	88	87.7	250 3626
14096-24-24	1-1/2"	38.1	1-1/2"	60.3	102	99.5	200 2901
14096-24-32	1-1/2"	38.1	2"	71.4	118	99.5	200 2901
14096-32-32	2"	50.8	2"	71.4	12	144	200 2901


INTERLOCK FLANGE CODE 61 - 3000 PSI - 45 DEG ELBOW 14046

AVAILABLE TO ORDER



Code	Tube		Dimensions				Pressure	
	Hose Diameter		D	D1	B	A	Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14046-12-12	3/4"	19	3/4"	38.1	32	64.7	420	6091
14046-12-16	3/4"	19	1"	44.5	35	67.7	420	6091
14046-16-12	1"	25.4	3/4"	38.1	35	80.6	415	6019
14046-16-16	1"	25.4	1"	44.5	32	83.6	415	6019
14046-16-20	1"	25.4	1-1/4"	50.8	36	87.6	415	6019
14046-20-20	1-1/4"	31.8	1-1/4"	50.8	43	98.7	250	3626
14046-20-24	1-1/4"	31.8	1-1/2"	60.3	44	99.7	250	3626
14046-24-24	1-1/2"	38.1	1-1/2"	60.3	41	110.5	200	2901
14046-24-32	1-1/2"	38.1	2"	71.4	52	121.5	200	2901
14046-32-32	2"	50.8	2"	71.4	59	148	200	2901


INTERLOCK FLANGE CODE 62 - 6000 PSI - 14116



Code	Tube		Dimensions			Pressure	
	Hose Diameter		D	D1	A	Bar	psi
	Inch	mm	Inch	mm	mm		
14116-12-12	3/4"	19	3/4"	41.3	50	420	6091
14116-12-16	3/4"	19	1"	47.6	61.7	420	6091
14116-16-16	1"	25.4	1"	47.6	63.6	420	6091
14116-16-20	1"	25.4	1-1/4"	54	68.6	420	6091
14116-20-20	1-1/4"	31.8	1-1/4"	54	68.7	420	6091
14116-20-24	1-1/4"	31.8	1-1/2"	63.5	76.7	420	6091
14116-24-24	1-1/2"	38.1	1-1/2"	63.5	76.5	420	6091
14116-24-32	1-1/2"	38.1	2"	79.4	70.5	420	6091
14116-32-32	2"	50.8	2"	79.4	73	420	6091

INTERLOCK FLANGE CODE 62 - 6000 PSI - 90 DEG ELBOW - 14196


AVAILABLE TO ORDER



Code	Tube		D	Dimensions			Pressure	
	Hose Diameter			D1	B	A	Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14196-12-12	3/4"	19	3/4"	41.3	62	54.7	420	6091
14196-12-16	3/4"	19	1"	47.6	67	54.7	420	6091
14196-16-12	1"	25.4	3/4"	41.3	64	74.6	415	6019
14196-16-16	1"	25.4	1"	47.6	69	70.6	415	6019
14196-16-20	1"	25.4	1-1/4"	54	76	74.6	415	6019
14196-20-20	1-1/4"	31.8	1-1/4"	54	93	87.7	415	6019
14196-20-24	1-1/4"	31.8	1-1/2"	63.5	97	87.7	415	6019
14196-24-24	1-1/2"	38.1	1-1/2"	63.5	111	99.5	345	5004
14196-24-32	1-1/2"	38.1	2"	79.4	128	110	345	5004
14196-32-32	2"	50.8	2"	79.4	128	144	345	5004

INTERLOCK FLANGE CODE 62 - 6000 PSI - 90 DEG ELBOW (LONG DROP) - 14196E


AVAILABLE TO ORDER



Code	Tube		D	Dimensions			Pressure	
	Hose Diameter			D1	B	A	Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14196-12-12E	3/4"	19	3/4"	41.3	100	54.7	420	6091
14196-12-16E	3/4"	19	1"	47.6	137	54.7	420	6091
14196-16-16E	1"	25.4	1"	47.6	120	70.6	415	6019
14196-20-20E	1-1/4"	31.8	1-1/4"	54	115	87.7	415	6019
14196-24-24E	1-1/2"	38.1	1-1/2"	63.5	135	95	415	6019

INTERLOCK FLANGE CODE 62 - 6000 PSI - 45 DEG ELBOW - 14146


AVAILABLE TO ORDER



Code	Tube		D	Dimensions			Pressure	
	Hose Diameter			D1	B	A	Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14146-12-12	3/4"	19	3/4"	41.3	35	67.7	420	6091
14146-12-16	3/4"	19	1"	47.6	39	71.7	420	6091
14146-16-12	1"	25.4	3/4"	41.3	32	83.6	415	6019
14146-16-16	1"	25.4	1"	47.6	35	86.6	415	6019
14146-16-20	1"	25.4	1-1/4"	54	40	91.6	415	6019
14146-20-20	1-1/4"	31.8	1-1/4"	54	47	102.7	415	6019
14146-20-24	1-1/4"	31.8	1-1/2"	63.5	50	105.7	415	6019
14146-24-24	1-1/2"	31.8	1-1/2"	63.5	47	116.5	345	5004
14146-24-32	1-1/2"	38.1	2"	79.4	64	145	345	5005
14146-32-32	2"	50.8	2"	79.4	64	153	345	5004

INTERLOCK SUPERCAT FLANGE - 14916


AVAILABLE TO ORDER



Code	Tube		D	Dimensions		Pressure	
	Hose Diameter			D1	A	Bar	psi
	Inch	mm	Inch	mm	mm		
14916-12-12	3/4"	19	3/4"	41.3	55.7	420	6091
14916-12-16	3/4"	19	1"	47.6	67.7	420	6091
14916-16-16	1"	25.4	1"	47.6	69.6	420	6091
14916-16-20	1"	25.4	1-1/4"	54	72.6	420	6091
14916-20-20	1-1/4"	31.8	1-1/4"	54	69.7	420	6091
14916-20-24	1-1/4"	31.8	1-1/2"	63.5	78.7	420	6091
14916-24-24	1-1/2"	38.1	1-1/2"	63.5	78.5	420	6091

INTERLOCK SUPERCAT FLANGE 90 DEG - 14996


AVAILABLE TO ORDER



Code	Tube		D	Dimensions			Pressure	
	Hose Diameter			D1	B	A	Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14996-12-12	3/4"	19	3/4"	41.3	67	54.7	420	6091
14996-12-16	3/4"	19	1"	47.6	73	54.7	420	6091
14996-16-16	1"	25.4	1"	47.6	75	70.6	415	6019
14996-16-20	1"	25.4	1-1/4"	54	80	74.6	415	6019
14996-20-20	1-1/4"	31.8	1-1/4"	54	97	87.7	415	6019
14996-20-24	1-1/4"	31.8	1-1/2"	63.5	99	87.7	415	6019
14996-24-24	1-1/2"	38.1	1-1/2"	63.5	113	99.5	345	5004

INTERLOCK SUPERCAT FLANGE 45 DEG - 14946

AVAILABLE TO ORDER




Code	Tube		D	Dimensions			Pressure	
	Hose Diameter			D1	B	A	Bar	psi
	Inch	mm	Inch	mm	mm	mm		
14946-12-12	3/4"	19	3/4"	41.3	39	71.7	420	6091
14946-12-16	3/4"	19	1"	47.6	43	75.7	420	6091
14946-16-16	1"	25.4	1"	47.6	40	91.6	415	6019
14946-16-20	1"	25.4	1-1/4"	54	43	94.6	415	6019
14946-20-20	1-1/4"	31.8	1-1/4"	54	50	105.7	415	6019
14946-20-24	1-1/4"	31.8	1-1/2"	63.5	51	106.7	415	6019
14946-24-24	1-1/2"	38.1	1-1/2"	63.5	49	118.5	345	5004

Ehrco is the largest independent supplier of hydraulic hose, fittings and related products in the UK distribution market. We carry stocks of over £1 M of the highest quality products and offer an excellent service to our customers.

Founded in 1992, Ehrco has evolved to become a recognised supplier of hydraulic components suitable for all industry types in the market. Trustworthy quality connections have given our customers peace of mind - for over 25 Years.

We Hold Vast Stocks of Hydraulic Components



Pipe Clamps



Swaged Fittings



Hydraulic Hose




Compression Fittings



Adaptors



Flanges



Steel Tube



Q R Couplings



Socket Weld



TRADE COUNTER

We have a fully stocked trade counter where hose assemblies can be made while you wait



PRESSURE TESTING

Up to 2000 BAR with certification on request



HOSE ASSEMBLY WORKSHOP

We are able to produce singles, batches and kits for hydraulic, jet wash, LPG & paint spray applications



EHRCO Limited
Unit H, Peartree Business Park,
Crackley Way, Peartree Lane,
Dudley DY2 0UW
T: 01384 245000
F: 01384 245 001
e: sales@ehrco.ltd.uk



EHRCO